

# Synthesis of superconducting solid picene

December 18 2013

---




Illustration of the structure of picene and a photograph of solid picene synthesized by Professor Yoshihiro Kubozono.

Research by Professor Yoshihiro Kubozono at Okayama University has potential for innovative applications of solid picene and organic superconductors, graphene and other functional materials.

"We are using chemistry to produce new physics," says Professor Yoshihiro Kubozono at the Department of Chemistry of Okayama University. "Our recent discovery that solid picene—a wide-bandgap semiconducting hydrocarbon—doped with potassium becomes superconducting at 7 K and 18 K is a good example because physicists

are investigating the role of alkali dopants in organic compounds. We are the only group in the world focusing on superconducting picene." These results may find applications in the development of superconducting devices that dissipate extremely low energy.

Other areas of research being pursued by Kubozono and his group includes electrostatic carrier doping in two-dimensional [materials](#) such as graphene, and liquid ammonia based synthesis of metal intercalated FeSe [superconductors](#). Electrostatic carrier doping enables the control of electrons or holes at the interface between an 'ionic liquid gate' and the underlying material—analogueous to the control of carrier channels in semiconducting gated field effect transistors. "We have a wide range of activities on ionic liquid gated materials," says Kubozono. "We recently reported on why is it difficult to realize high carrier density in [graphene](#)."

Professor Kubozono is also the director of the Research Center for New Functional Materials for Energy Production, Storage and Transport at Okayama University. Launched in July 2010, researchers at the Center are taking an interdisciplinary approach for the development of science and technology for a sustainable low carbon society.

"The 13 internationally renowned scientists at the Center are making steady and significant contributions to realizing our mission," says Kubozono. "An objective view of the quality of our research can be seen by our publications in high impact journals including one paper per year in NPG Nature since the Center was launched."

The two main areas of research are the development of organic/inorganic materials for electronics and high transmission temperature organic/inorganic superconductors for the transport and storage of energy. "We are aiming to produce solar cells with efficiencies of more than 20% using non-silicon materials, and carbon-

based superconductors with high transition temperatures," says Kubozono.

The research areas being investigated at the Center include:

- High efficiency organic solar cells as replacements for conventional inorganic solar cells
- High performance [solar cells](#) produced using new electronic dielectric materials
- High performance organic field effect transistor that can be manufactured by low energy consumption process
- New nanomaterials for storing hydrogen and methane
- New types of superconductors based organic materials
- Establishing materials design policy and development of superconducting materials for the realization of high temperature superconductors
- Biological system based materials for optical-energy conversion

"This research is an interdisciplinary collaboration between the researchers affiliated with this center," explains Kubozono. "It's a process of materials synthesis, materials evaluation and device fabrication." The Center also collaborates with overseas institutes, including the University of Durham in the UK where a member of the Center is conducting experiments on the effect of pressure on the properties of superconductors. "He is our direct link with research in the EU," says Kubozono.

**More information:** 1. Superconductivity in alkali-metal-doped picene, *Nature*, 464, 76 (2010)

2. Parity Effects in Few-Layer Graphene, *Nano Lett.*, in press (2013).

3. Superconductivity in  $(\text{NH}_3)_y\text{Cs}_{0.4}\text{FeSe}$ , *Phys. Rev. B*, 88, 094521

(2013). [ousar.lib.okayama-u.ac.jp/metadata/51905](https://ousar.lib.okayama-u.ac.jp/metadata/51905)

4. Phenanthro[1,2-b:8,7-b']dithiophene: A New Picene-type Molecule for Transistor Applications, RSC Advances, 3, 19341 (2013).

5. Electric double-layer capacitance between an ionic liquid and few-layer graphene, Sci. Rep. 3, 1595; DOI: [10.1038/srep01595](https://doi.org/10.1038/srep01595) (2013)  
[ousar.lib.okayama-u.ac.jp/metadata/51906](https://ousar.lib.okayama-u.ac.jp/metadata/51906)

6. Correlation between energy level alignment and device performance in planar heterojunction organic photovoltaics, Organic Electronics, 14, 1 (2013).

7. Fabrication of high performance / highly functional field-effect transistor devices based on [6] phenacene thin films, Physical Chemistry Chemical Physics, in press (2013).

Provided by Okayama University

Citation: Synthesis of superconducting solid picene (2013, December 18) retrieved 16 May 2024 from <https://phys.org/news/2013-12-synthesis-superconducting-solid-picene.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.