

## Tiny oil droplets help measure mechanical forces produced by living cells that shape tissues and organs

December 9 2013, by Dan Ferber



Cells in the jaw of an embryonic mouse (red) squeeze a cell-sized, spherical oil droplet (with blue border, shown with arrow). The droplet deforms like a water balloon, and the degree to which it deforms allows scientists to calculate the pressure cells exert on their neighbors. Credit: Otger Campàs and Nature Methods.

(Phys.org) —As embryonic tissue develops, cells push and pull on each other, and they must do so correctly for the tissue to develop properly.



Now scientists at Harvard University have devised the first method to measure these tiny forces in three-dimensional tissues and living embryos.

The method, which involves injecting tiny <u>oil droplets</u>, could lead to new tools to diagnose cancer, hypertension, connective <u>tissue</u> diseases, and more. Scientists from Harvard School of Engineering and Applied Sciences (SEAS) and the Wyss Institute for Biological Engineering at Harvard University reported the work online December 8 in *Nature Methods*.

"Now that we can quantitate cellular forces, we can find entirely new ways to diagnose the extraordinarily wide range of diseases that alter cell contractility and tissue stiffness," said Don Ingber, founding director of the Wyss Institute, professor of bioengineering at SEAS, and senior author of the study. "Just as important, we can answer crucial questions about development that have lay dormant for decades."

Biological tissues don't just sit there inside the body; they are constantly in motion, with <u>cells</u> tugging on and nudging other cells and the <u>extracellular matrix</u>, the molecular scaffold that knits cells together into tissues. As a result, tissues live in a state of dynamic tension, like a partially stretched rubber band.

Studies in lab-grown cells suggest that mechanical forces are as important in regulating biological function as chemicals and genes. But scientists had no way of studying those control mechanisms in developing embryos because they had no way of quantifying mechanical forces at specific positions in living tissues.

Such forces are particularly important as the body develops from the fertilized egg into tissues and organs with specialized shapes and functions—a process known as morphogenesis. Biologists studying



morphogenesis knew that as the embryo develops, <u>mechanical forces</u> direct cells to multiply, steer to their proper locations, and specialize. But they have long focused on detailing the genes and cellular pathways that direct and coordinate this process, rather than the role of cellular forces—simply because they did not have the tools to measure those forces, said Otger Campàs, an assistant professor of mechanical engineering who holds the Mellichamp Chair in Systems Biology at the University of California, Santa Barbara (UCSB). Campàs was formerly a postdoctoral fellow at SEAS and the Wyss Institute.

"Shaping tissues and organs involves an interplay between genetics and physics. If you can't measure the physical side of it, you can't completely understand the problem," Campàs said.



The harder a cell pushes or pulls on the surface of the droplet, the more the droplet will be deformed. Therefore, the shape of the droplet reveals the pressure exerted by the adjacent cell. Credit: Otger Campas/*Nature Methods*.



Scientists had previously developed several methods to quantitate how cells push and pull on each other while growing in a dish in the lab. But they had no good way to measure these forces while the cells are building 3D tissues in their natural environment.

Campàs decided to invent one. As a doctoral student, he had used oil droplets to measure forces exerted by a network of protein filaments that drive cell movement. Inspired by that work, he decided to try using oil microdroplets as force transducers in living tissues.



This is a 3-D reconstruction of cells surrounding a droplet in living tissue. The



nuclei of cells (cyan) and the droplet (green) are shown. Credit: Otger Campas

Campàs, Ingber, and their colleagues at SEAS and Harvard Medical School identified a special oil called a fluorocarbon that remains separate from the cell membrane, like oil does from water, and is safe for cells and tissues. Then they devised a special coating for the droplets so it sticks to cells or to the extracellular matrix. This enabled them to measure how cells push and pull within living tissues.

They also coated droplets with a chemical that made their surface glow when illuminated with a laser, then videotaped it under a microscope as cells tugged and pressed on the droplet in 3D. The oil droplets on their own are spherical, but squeezing or stretching them deforms them as if squeezing or stretching a water balloon. By measuring how deformed each droplet was, the scientists could precisely calculate the force exerted on it by the neighboring cells adhering to it and by the extracellular matrix.

Using the new method, the scientists were able to quantitate the forces within lab-grown 3D aggregates of mouse mammary tumor cells, and within living 3D tissues from embryonic mouse jaws. They found that an individual cell exerted huge forces—24 times as much pressure on the droplet as the jaws of an ant, and that the cells exerted the same amount of force in cultured aggregates as in tissues, lending confidence to the method's accuracy.

In his new lab at UCSB, Campàs now uses the method to determine the spatial patterns of forces that shape different embryonic structures in fish, chicken, and other organisms.

More information: Paper: <u>dx.doi.org/10.1038/nmeth.2761</u>



## Provided by Harvard University

Citation: Tiny oil droplets help measure mechanical forces produced by living cells that shape tissues and organs (2013, December 9) retrieved 2 May 2024 from <u>https://phys.org/news/2013-12-tiny-oil-droplets-mechanical-cells.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.