

New study advances quest for better superconducting materials

January 27 2014



This is Minghu Pan's image of "clover-like" atomic defects -- an example is circled -- that result in strong superconductivity. Credit: ORNL

Nearly 30 years after the discovery of high-temperature superconductivity, many questions remain, but an Oak Ridge National Laboratory team is providing insight that could lead to better



superconductors.

Their work, published in *Physical Review Letters*, examines the role of chemical dopants, which are essential to creating <u>high-temperature</u> <u>superconductors</u> – materials that conduct electricity without resistance. The role of dopants in superconductors is particularly mysterious as they introduce non-uniformity and disorder into the crystal structure, which increases resistivity in non-superconducting materials.

By gaining a better understanding of how and why chemical dopants alter the behavior of the original (parent) material, scientists believe they can design superconductors that work at higher temperatures. This would make them more practical for real-world wire applications because it would lessen the extreme cooling required for conventional superconducting material. Existing "high-temperature <u>superconductors</u>" operate at temperatures in the range of negative 135 degrees Celsius and below.

"Through this work, we have created a framework that allows us to understand the interplay of superconductivity and inhomogeneity," said lead author Krzysztof Gofryk, a post-doctoral fellow in the Department of Energy laboratory's Materials Science and Technology Division. "Thus, for the first time we have a clearer picture of the side effects of dopants."

ORNL's Athena Safa-Sefat, who led the team, noted that while scientists have made progress since the first observation of superconductivity in the Dutch province of South Holland in 1911, they still do not know what causes some complex multicomponent materials to be superconductive at high temperatures. Additional progress will most likely hinge on answering fundamental questions regarding the interactions of atoms with the crystal, and this work represents a step forward.



"Our bulk and atomic-scale measurements on an iron-based superconductor have revealed that strong superconductivity comes from highly doped regions in the crystal where dopants are clustered," Sefat said. "If we can design a crystal where such clusters join in an organized manner, we can potentially produce a much higher performance superconductor."

While several companies manufacture superconducting materials that have been used in specialty applications and demonstration settings, widespread adoption is restricted by cost and complexity. An ideal superconducting wire would be constructed from inexpensive, earthabundant non-toxic elements. It will also be low-cost for the manufacture of long lengths that are round and flexible and feature good mechanical – non-brittle – properties with a high superconducting temperature.

More information: "Local inhomogeneity and filamentary superconductivity in Pr-doped CaFe2As2," *Physical Review Letters*, 2014.

Provided by Oak Ridge National Laboratory

Citation: New study advances quest for better superconducting materials (2014, January 27) retrieved 3 May 2024 from <u>https://phys.org/news/2014-01-advances-quest-superconducting-materials.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.