

New study examines the effects of catch-and-release fishing on sharks

January 30 2014



Lead author and Abess Center Ph.D candidate Austin Gallagher draws blood from shark. Credit: Christine Shepard

A new study led by scientists at the University of Miami (UM) Abess Center for Ecosystem Science and Policy and the Rosenstiel School of Marine and Atmospheric Science investigated how several species of coastal sharks respond to stress from catch-and-release fishing. The results revealed that each of the shark species responded differently.

Hammerhead sharks were by far the most vulnerable to fighting on a fishing line.

The UM scientists experimentally simulated catch-and-release fishing on five [shark species](#) – hammerhead, blacktip, bull, lemon and tiger [sharks](#) – in South Florida and Bahamian waters. Researchers took blood samples to examine stress, including pH, carbon dioxide and lactate levels, conducted reflex tests, as well as used satellite tags to look at their post-release survival. Fighting on a [fishing line](#) significantly affected the blood lactate levels of sharks, similar to what happens to humans during intense or exhaustive physical exercise, which has been linked to mortality in many species of [fish](#). The study revealed that even with minimal degrees of fighting on a fishing line, hammerhead exhibited the highest levels of lactic acid build of all species studied, followed by blacktip, bull, lemon and tiger sharks. Tagging results also suggested that, after release, hammerheads were also prone to delayed mortality.

"Our results show that while some species, like [tiger sharks](#), can sustain and even recover from minimal catch and release fishing, other sharks, such as hammerheads are more sensitive" said lead author and Abess Center Ph.D candidate Austin Gallagher. "Our study also revealed that just because a shark swims away after it is released, doesn't mean that it will survive the encounter. This has serious conservation implications because those fragile [species](#) might need to be managed separately, especially if we are striving for sustainability in catch and release fishing and even in bycatch scenarios."



The research team angles Tiger Shark up to the boat to begin samples. Credit: Christine Shepherd

Adds study co-author Dr. Neil Hammerschlag, a Research Assistant Professor at UM, "Many shark populations globally are declining due to overfishing. Shark anglers are some of the biggest advocates for shark conservation. Most have been making the switch from catch and kill to all catch and release. Our study helps concerned fisherman make informed decisions on which sharks make good candidates for catch and release fishing, and which do not, such as hammerheads."

More information: The study, titled "Physiological stress response,

reflex impairment and survival of five sympatric shark species following experimental capture and release," was published in the special theme issue "Tracking fitness in marine vertebrates "in the journal *Marine Ecology Progress*.

Provided by University of Miami

Citation: New study examines the effects of catch-and-release fishing on sharks (2014, January 30) retrieved 28 April 2024 from <https://phys.org/news/2014-01-effects-catch-and-release-fishing-sharks.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--