


Lungs may suffer when certain elements go nano

January 28 2014, by Linda Fulps



Yue-Wern Huang, professor of biological sciences at Missouri S&T.

(Phys.org) —Nanoparticles are used in all kinds of applications—electronics, medicine, cosmetics, even environmental clean-ups. More than 2,800 commercially available applications are now based on nanoparticles, and by 2017, the field is expected to bring in nearly \$50 billion worldwide.

But this influx of [nanotechnology](#) is not without risks, say researchers at Missouri University of Science and Technology.

"There is an urgent need to investigate the potential impact of nanoparticles on health and the environment," says Yue-Wern Huang, professor of [biological sciences](#) at Missouri S&T.

Huang and his colleagues have been systematically studying the effects of transition metal oxide nanoparticles on human lung cells. These nanoparticles are used extensively in optical and recording devices, water purification systems, [cosmetics](#) and skin care products, and targeted drug delivery, among other applications.

"In their typical coarse powder form, the [toxicity](#) of these substances is not dramatic," says Huang. "But as nanoparticles with diameters of only 16-80 nanometers, the situation changes significantly."

The researchers exposed both healthy and cancerous human lung cells to nanoparticles composed of titanium, chromium, manganese, iron, nickel, copper and [zinc](#) compounds—transition metal oxides that are on the fourth row of the periodic table. The researchers discovered that the nanoparticles' toxicity to the cells, or cytotoxicity, increased as they moved right on the periodic table.

"About 80 percent of the cells died in the presence of nanoparticles of copper oxide and zinc oxide," says Huang. "These nanoparticles penetrated the cells and destroyed their membranes. The toxic effects are related to the nanoparticles' surface electrical charge and available docking sites."

Huang says that certain nanoparticles released metal ions—called ion dissolution—which also played a significant role in cell death.

Huang is now working on new research that may help reduce nanoparticles' toxicity and shed light on how nanoparticles interact with cells.

"We are coating toxic zinc oxide nanoparticles with non-toxic nanoparticles to see if zinc oxide's toxicity can be reduced," Huang says. "We hope this can mitigate toxicity without compromising zinc oxide's intended applications. We're also investigating whether [nanoparticles](#) inhibit cell division and influence cell cycle."

More information: Charles C. Chusuei, Chi-Heng Wu, Shravan Mallavarapu, Fang Yao Stephen Hou, Chen-Ming Hsu, Jeffrey G. Winiarz, Robert S. Aronstam, Yue-Wern Huang. "Cytotoxicity in the age of nano: The role of fourth period transition metal oxide nanoparticle physicochemical properties." *Chemico-Biological Interactions*, Volume 206, Issue 2, 25 November 2013, Pages 319-326, ISSN 0009-2797, [dx.doi.org/10.1016/j.cbi.2013.09.020](https://doi.org/10.1016/j.cbi.2013.09.020).

Provided by Missouri University of Science and Technology

Citation: Lungs may suffer when certain elements go nano (2014, January 28) retrieved 25 April 2024 from <https://phys.org/news/2014-01-lungs-elements-nano.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
