

Sponge bacteria, a chemical factory

January 29 2014



The marine sponge Theonella swinhoei from Japan. The sponge is source of a large number of bioactive natural products and harbors a complex microbial community. Credit: Toshiyuki Wakimoto, University of Tokyo

Sponges are unique beings: they are invertebrates that live in symbiosis with sometimes hundreds of different types of bacteria; similar to lichens which are a biocoenosis of algae and fungi. "Put simply, many



sponges are lumps of bacteria in which some sponge cells are found," says Jörn Piel, Professor of Microbiology at the ETH Zurich.

Many <u>sponges</u> have it in them: the <u>bacteria</u> they contain produce many, partly toxic natural products that may be interesting candidates for medical use. The stony sponge *Theonella swinhoei* is a particularly rich and well-investigated source of such natural products. There are various chemotypes of this sponge, i.e. organisms of the same kind that contain various <u>metabolic products</u>. From the yellow variant, *Theonella swinhoei* Y, which is found in waters surrounding Hachijo Island on Japan's east coast, more than 40 different bioactive substances have been isolated to date – most of these being polyketides or peptides. Until now, however, it was not known which of the sponge's bacteria produced these substances.

A team of researchers from several higher education institutions in Germany, Japan, USA and Switzerland led by Jörn Piel has now been able to track down the initiator: a bacterium from the candidate genus *Entotheonella* is the producer of these substances. In a study that has just been published in *Nature*, the scientists also describe *Entotheonella* bacteria as representative of a new, subordinate systematic unit (phylum) within the bacteria kingdom that have been named "Tectomicrobia".

Centrifugalising sponge

In order to find the substance producers, the researchers had to separate the sponge collected in the sea into its individual parts and examine the individual cells. After they had centrifuged the sponge components, the researchers noticed a threadlike bacterium under the microscope, which – after they examined it with a UV light – fluoresced. A closer inspection revealed two closely related *Entotheonella* bacteria that colonized the sponge. The association of the bioactive substances to the genome of both bacteria was ultimately indicative that only one of the



two microorganisms manufactures the <u>natural products</u> obtained from the sponge.



"Entotheonella factor", an as-yet unculturable symbiotic bacterium that is the true producer of diverse natural products found in its sponge host Theonella swinhoei. Scale bar: 2 micrometers. Credit: Tetsushi Mori, Waseda University

Entotheonella bacteria – with their chemically diverse metabolism – are so-called "talented producers". These include only a few groups of microorganisms, such as actinomycetes or Bacillus, that are able to produce metabolic products of medical interest. Until now, almost all of these substances could only be obtained from cultivated strains. *Entotheonella* are the first talented producers that belong to bacteria unable to be cultivated to date. The latter make up by far the largest proportion of all bacteria and have hardly been researched thus far.



Current research is aiming to bring the substance producers from sponges to pure culture with the findings obtained from this study.

Cultivating bacteria instead of collecting sponge

Isolating the interesting substances from sponges would indeed be possible but not sustainable, because large amounts of sponge are needed for greater substance quantities. The substances should therefore be produced in a lab, either by cultivating corresponding strains of bacteria or by synthesis in a test tube. In several countries, a cancer treatment based on a sponge agent is already on the market. "But in order to synthetically produce the agent, more than 60 work steps are required," says Piel, stressing the complexity of the endeavour.

The ETH professor sees another possibility in transferring the genes that code the agent production to an organism that is easy to cultivate and then producing the desired substance (or a precursor) in sufficient quantities. However, there is still a long way to go to reach this stage.

More information: Wilson MC et al. An environmental bacterial taxon with a large and distinct metabolic repertoire. *Nature*, published online 29th January 2014. <u>DOI: 10.1038/nature12959</u>

Provided by ETH Zurich

Citation: Sponge bacteria, a chemical factory (2014, January 29) retrieved 21 May 2024 from <u>https://phys.org/news/2014-01-sponge-bacteria-chemical-factory.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.