

Vibrations influence the circadian clock of a fruit fly

January 31 2014



Credit: University College London

The internal circadian clock of a Drosophila (fruit fly) can be synchronised using vibrations, according to research published today in the journal *Science*. The results suggest that an animal's own movements can influence its clock.

The circadian clock, which underlies the daily rhythms characterising most of our bodily functions including the sleep cycle, is mainly set by diurnal changes in light and temperature.



Researchers at UCL and Queen Mary, University of London, have now shown that exposure to 12-hour cycles of vibration and silence are also sufficient to synchronise the fly's <u>internal clock</u>, and corresponding daily locomotor activity.

"In a nutshell, our research shows that, in flies, the <u>biological clock</u> which regulates most bodily functions can be set – or entrained – not only by light and temperature, but also by mechanical stimuli that excite sensory receptors in the body," says Dr Joerg Albert (UCL Ear Institute), a senior author of the study.

"Our research encourages further research into the genetic and cellular basis of how the circadian clock is set," continues Dr Albert. "In mammals and humans there has been sporadic, but as yet inconclusive evidence to show if, and how, movement such as scheduled physical exercise can reset the clock."

Professor Ralf Stanewsky (Department of Cell and Developmental Biology, UCL; previously Queen Mary, University of London) another lead author of the study added: "Our experiments offer a novel pathway for setting the circadian clock that may well be relevant for the treatment of clock related diseases, such as insomnia, depression, bipolar disorder.

"It also offers a novel way to set the <u>circadian clock</u> using movement as well as extrinsic entrainment such as ambient light and temperature fluctuations. It could point to the existence of an animal's internal 'own time' that might have to be negotiated with the external 'world time'."

More information: A Mechanosensory Pathway to the Drosophila Circadian Clock Alekos Simoni, Werner Wolfgang, Matthew P. Topping, Ryan G. Kavlie, Ralf Stanewsky, Joerg T. Albert. *Science* 31 January 2014: Vol. 343 no. 6170 pp. 525-528. <u>DOI:</u> 10.1126/science.1245710



Provided by University College London

Citation: Vibrations influence the circadian clock of a fruit fly (2014, January 31) retrieved 10 April 2024 from https://phys.org/news/2014-01-vibrations-circadian-clock-fruit.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.