

Research and applications of iron oxide nanoparticles

February 26 2014




Fig.1 Hidasuki pattern on Bizen stoneware

From the mysteries of producing red colors in traditional Japanese Bizen stoneware to iron-oxidizing bacteria for lithium ion batteries, Professor Jun Takada is at the forefront of research on innovative iron oxide nanomaterials.

Professor Jun Takada is at the Graduate School of Natural Science and Technology at Okayama University. "I spent thirty years investigating

how craftsman were able to render the beautiful red colors in Bizen and Arita pottery," explains Takada. "This research revealed the important role of iron oxide particles for producing the colors. I am now working on innovative applications of nanometer scale iron oxide materials produced by 'iron-oxidizing bacteria'. I have made a transition from fine ceramics and Bizen stoneware to fuel cells and biotechnology!"

Bizen ware has a history of more than a thousand years. The pottery has distinctive 'hidasuki' or 'fire-marked' reddish-brown colors(Fig.1) and is produced using iron rich clay mined from rice fields in the Bizen area of Okayama Prefecture. Intriguingly, the red colors are rendered by wrapping straw around the stoneware and not by glazing. But why does the straw, which was originally used to separate pieces of stoneware in kilns, produce the red colors where the straw is in contact with the surface of the clay?



Fig.2 Al-substituted iron oxide for novel red pigment.

"Our research showed the Bizen clay had a high content of iron lesser

concentrations of other elements including silicon, calcium, magnesium, and sodium," explains Takada. "The red patterns are produced by the precipitation of corundum (α -Al₂O₃) followed by the formation of hematite (α -Fe₂O₃) around it during the cooling process."

More specifically, potassium in the straw reduces the melting point of the surface of the Bizen clay, which leads to the formation of an approximately 50 micrometer thick liquid in the surface of the hot clay, where the aforementioned reactions occur. Furthermore, the research identified the formation of sandwich like crystals of α -Fe₂O₃/ α -Al₂O₃/ α -Fe₂O₃ particles during the reaction in the slow cooling.(Fig.1)

"The main outcome of the research was the importance of hematite in formation of the hidasuki-red patterns," says Takada. "We also found a relationship between the growth of hematite particles and the color of the resulting Bizen ware."

Takada and colleagues also produced so called Al-substituted hematite, where the substitution of Al suppressed grain growth of hematite and the tone color became stronger with increasing aluminum.(Fig.2) They found that particles of about 100 nm produced yellowish red, and larger particles sizes led to red and eventually dark purple colors. This research finally enabled the researchers to produce hematite based powders that do not contain hazardous elements such as chrome or lead, and there by increases the range of applications of these materials, especially producing Aka-e decoration on the over glazed Arita ware.




Fig.3 Novel red-colored iron oxide

Inspired by his research on hematite and iron oxide particles for producing red colors, Takada initiated new research on the preparation of nanostructure tubes and fibers of [iron oxides](#)—known as biogenous iron oxides (BIOX)(Fig.3)—produced by so-called iron-oxidizing bacteria. "The yellowish brown precipitate found in a groundwater spring is due to the presence of extracellular fibrous bundles produced by iron oxidizing bacteria such as *Leptothrix ochracea*," says Takada. "Our research shows that this otherwise useless looking material has some extremely important applications." Indeed, research by Takada on the physical properties of the BIOX matrix showed this iron oxide to have an amorphous state made of organic/inorganic hybrid structure of ~3 nm sized nanoparticles of a many different elements including carbon, phosphorous, silicon, and iron.

Important applications of BIOX include as an anode material of Li-ion batteries, catalysts, color pigmentation, and innovation based on this materials high affinity to human cells. "Our studies on the formation of BIOX show that extracellular secretion of bacterial polymers triggers deposition and binding of aquatic inorganics such as Fe, Si, and P, which results in the unique organic/inorganic hybrid," says Takada. "This low cost BIOX is an eco-friendly and nontoxic functional material with a wide range of applications, including producing fine ceramics and arts, which are the roots of this research."

More information: T. Ema, et al, "Robust porphyrin catalysts immobilized on biogenous iron oxide for the repetitive conversions of epoxides and CO₂ into cyclic carbonates", *Green Chemistry*, 15 , 2485, (2013)

H. Hashimoto, et al, "Nano-micrometer-architectural acidic silica prepared from iron oxide of *Leptothrix ochracea* origin", *Applied Materials & Interfaces*, 5, 5194, (2013).

H. Ishihara, et al, "Initial parallel arrangement of extracellular fibrils holds a key for sheath frame construction by *Leptothrix* sp. strain OUMS1", *Minerals*, 3, 73, (2013).

Provided by Okayama University

Citation: Research and applications of iron oxide nanoparticles (2014, February 26) retrieved 25 April 2024 from <https://phys.org/news/2014-02-applications-iron-oxide-nanoparticles.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.