


Researchers develop non-iridescent, structural, full-spectrum pigments for reflective displays

February 20 2014



Free of dyes but colorful: A team of American and Korean researchers is the first to develop non-iridescent, structural, full-spectrum pigments, whose color is independent of the viewing angle, for use in reflective displays. The researchers reveal the secret of their success in the journal *Angewandte Chemie*: their "photonic pigments" are microcapsules filled with densely packed core-shell colloidal particles.

Conventional coloring agents have a variety of disadvantages: organic dyes tend to fade; inorganic pigments are often based on toxic heavy metals such as chromium. The [color](#) we see results from the absorption of a portion of the visible light spectrum. The reflected portions add to

the color observed. Another way to produce color that works without absorption is widely found in nature – in butterflies, for example.

Arrays of nanoscopic [particles](#) can appear to be colored as a result of wavelength-dependent optical interference, refraction, and light [scattering](#). The color depends on the size of the particles. However, such structural pigments iridesce, meaning that the observed color varies in accordance with the angle of illumination or the viewing angle. In displays and many other applications, this would naturally be very annoying. The high degree of order in the particles of the crystal lattice contributes to this problem. It is thus desirable to have the particles in a noncrystalline, amorphous arrangement, which is very difficult to achieve. In addition, amorphous structural pigments have thus far had very unsatisfactory color saturation caused by so called multiple scattering. A second type of undesired scattering, so-called incoherent scattering, contributes to a blueish background color that makes it difficult to produce a full spectrum of colors, particularly red.

A team from Harvard University (USA), the Korea Advanced Institute of Science and Technology, and the Korea Electronics Technology Institute has now solved these problems. Their success is due to microcapsules packed with nanoscopic polymer spheres whose core and shell are made of two different polymers. Led by Vinothan N. Manoharan, the scientists designed the shells to have the same refractive index as the surrounding aqueous medium. The light is thus only scattered by the cores, whose size and distance from each other determine the scattering properties. In a dense packing arrangement, the distance between cores can be determined by the thickness of the shells. If the cores are very small and the shells relatively thick, the undesired types of scattering can be minimized while the desired coherent scattering that is responsible for the structural color dominates.

By using a microfluidic technique, tiny droplets of an aqueous

suspension of the core–shell particles are coated with a thin film of oil. They are then shrunk through osmosis until the particles adopt a densely packed arrangement. The soft polymer shells of the particles prevent crystallization. In the last step, the oil film is cured with UV light to make delicate, transparent, capsules.

The color of the novel structural pigments can be varied over the entire spectrum by changing the distances of the particle cores from each other by means of the thickness of the shells. The goal is to use these new nanoparticles in reflective displays.

More information: "Full-Spectrum Photonic Pigments with Non-iridescent Structural Colors through Colloidal Assembly." *Angewandte Chemie International Edition*, Permalink to the article: [dx.doi.org/10.1002/anie.201309306](https://doi.org/10.1002/anie.201309306)

Provided by Angewandte Chemie

Citation: Researchers develop non-iridescent, structural, full-spectrum pigments for reflective displays (2014, February 20) retrieved 26 April 2024 from <https://phys.org/news/2014-02-non-iridescent-full-spectrum-pigments.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.