

## **Poaching threatens savannah ecosystems**

February 12 2014



This image shows a white rhinoceros. Credit: Swedish University of Agricultural Sciences

White rhinoceros may be extinct in twenty years with the current poaching rates. The loss of this megaherbivore is in itself a tragedy, but it may also have tremendous effects on the ecosystems they now live in.

The white rhino (*Ceratotherium simum*), and other megaherbivores, are key drivers of ecosystem functioning because they're not controlled by predation.



A new study by Joris Cromsigt and Mariska te Beest, published in *Journal of Ecology*, highlights the role of the white rhino in the savannah <u>ecosystems</u>.

Earlier empirical studies on the ecosystem impact of megaherbivores are strongly biased to African elephant with very little contemporary evidence for other megaherbivore species. Cromsigt and te Beest quantifies how rhino recolonized Kruger National Park (KNP) following their re-introduction in the 1960s to create a unique 'recolonization experiment' and tests how this megagrazer is affecting the structure of savanna grasslands.



This image shows a rhino with calf. Credit: Swedish University of Agricultural Sciences



**More information:** The article is published online in *Journal of Ecology* 12 feb 2014, <u>DOI: 10.1111/1365-2745.12218</u>

## Provided by Swedish Research Council

Citation: Poaching threatens savannah ecosystems (2014, February 12) retrieved 22 May 2024 from <u>https://phys.org/news/2014-02-poaching-threatens-savannah-ecosystems.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.