

There's just one thing stopping killer shrimp from wreaking even more havoc

March 28 2014, by Tommy Leung



Silent but deadly. Credit: Environment Agency, CC BY

Alien species become invasive when their introduction to an ecosystem ends up causing ecological disruption in their new home. [Cane toads](#), [rabbits](#), [water hyacinth](#), and [zebra mussels](#) are all infamous examples. Often these creatures are introduced to get rid of "pests".

Now a "killer shrimp", *Dikerogammarus villosus*, has become a [nuisance](#)


[in Europe](#). But new research shows that thanks to a little parasite, the killer shrimp has caused much less havoc than it might otherwise have been capable of.

One of the theories for why some introduced species become so successful in a new region is called the "[enemy release hypothesis](#)". In their new home, introduced species run amok as they are no longer hounded by their usual foes that would otherwise keep their population in check.

Dikerogammarus villosus is an amphipod – a little, shrimp-like crustacean – from the Ponto-Caspian region that has invaded western and central Europe, and is now also found in [the UK](#). They only grow up to a little over an inch long, but they are voracious little predators that eat everything smaller than themselves, including each other. Released from their usual predators and [parasites](#), the amphipod rips through the freshwater life of its new neighbourhood.

The inescapable foe

But *D. villosus* has not completely escaped from its past foes, according to a recent paper in the journal [Parasitology](#). A nasty parasite (a microsporidian) called *Cucumispora dikerogammari* invades the [amphipod](#)'s muscles, reproduces prolifically and eventually kills it. There is some concern that this parasite can [spill over into the native invertebrates](#) . But it is also one of the few things holding back the voracious *D. villosus* from causing even more destruction.



Top: A heavily infected amphipod. Bottom: Spores of *C. dikerogammari* Credit: Parasitology/Wattier et al

A group of scientists from France conducted a study to look at how *C. dikerogammari* affects the activity levels and appetite of *D. villosus*. The scientists observed the behaviour of both infected and uninfected amphipods in a water-filled glass tube and noticed that amphipods at a late stage of infection that are visibly "filled to the brim" with parasite spores are actually more active than healthy amphipods or those that are not visibly parasitised because they are at a much earlier stage of the infection.

They also presented amphipods with [bloodworms](#) to see how many they ate. Both infected and uninfected *D. villosus* pounced on those insect larvae, but the heavily infected amphipods ate far less than the healthy

ones. For some reason, this parasite seems to cause *D. villosus* to lose its appetite, and given this crustacean's reputation of eating everything that it can get its claws around, this may have reduced its overall ecological impact.

Yet again, another parasite has busted the myth that they are just free-loaders. But the story leaves an unanswered question, why would the parasite make its host more active before killing it?

This could just be an odd manifestation of the parasitological disease. Regardless, such behaviour is certainly a useful one for the parasite – as it depends upon cannibalism for transmission to new hosts.

Dikerogammarus villosus usually prefer to stay under a shelter and wait for potential prey to wander by. By getting their host out and about, *C. dikerogammari* might increase the chances that its host will either run into one of its cannibalistic buddies, or die out in the open where it can be scavenged by other amphipods.

It seems that, for the invasive killer shrimp, no matter how far you go, you can never really run away from your past.

This story is published courtesy of [The Conversation](#) (under Creative Commons-Attribution/No derivatives).

Provided by The Conversation

Citation: There's just one thing stopping killer shrimp from wreaking even more havoc (2014, March 28) retrieved 27 April 2024 from <https://phys.org/news/2014-03-killer-shrimp-wreaking-havoc.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.