

Relativity shakes a magnet

March 3 2014



Electrically shaken GaMnAs magnet

The research group of Professor Jairo Sinova at the Institute of Physics at Johannes Gutenberg University Mainz (JGU), in collaboration with researchers from Prague, Cambridge, and Nottingham, have predicted and discovered a new physical phenomenon that allows to manipulate the state of a magnet by electric signals. Current technologies for writing,



storing, and reading information are either charge-based or spin-based. Semiconductor flash or random access memories are prime examples among the large variety of charge-based devices.

They utilize the possibility offered by semiconductors to easily electrically manipulate and detect their electronic charge states representing the "zeros" and "ones". The downside is that weak perturbations such as impurities, temperature change, or radiation can lead to uncontrolled charge redistributions and, as a consequence, to data loss. Spin-based devices operate on an entirely distinct principle. In some materials, like iron, electron spins generate magnetism and the position of the north and south pole of the magnet can be used to store the zeros and ones. This technology is behind memory applications ranging from kilobyte magnetic stripe cards to terabyte computer hard disks.

Since they are based on spin, the devices are much more robust against charge perturbations. However, the drawback of current magnetic memories is that in order to reverse the north and south poles of the magnet, i.e., flip the zero to one or vice versa, the magnetic bit has to be coupled to an electro-magnet or to another <u>permanent magnet</u>. If instead one could flip the poles by an electric signal without involving another magnet, a <u>new generation</u> of memories can be envisaged combining the merits of both charge and spin-based devices.

In order the shake a magnet electrically without involving an electromagnet or another permanent magnet one has to step out of the realm of classical physics and enter the relativistic quantum mechanics. Einstein's relativity allows electrons subject to <u>electric current</u> to order their spins so they become magnetic. The researchers took a permanent magnet GaMnAs and by applying an electric current inside the permanent magnet they created a new internal magnetic cloud, which was able to manipulate the surrounding permanent magnet. The work has been published in the journal *Nature Nanotechnology* on 2 March 2014.



The observed phenomenon is closely related to the relativistic intrinsic spin Hall effect which Jörg Wunderlich, Jairo Sinova, and Tomas Jungwirth discovered in 2004 following a prediction of Sinova and coworkers in 2003. Since then it has become a text-book demonstration of how electric currents can magnetize any material. "Ten years ago we predicted and discovered how electric currents can generate pure spincurrents through the intrinsic structure of materials. Now we have shown how this effect can be reversed to manipulate magnets by the currentinduced polarization. These new phenomena are a major topic of research today since they can lead to new generation of memory devices. Besides our on-going collaborations, this research direction couples very well with on-going experimental research here in Mainz. Being part of this world-leading research and working with superb colleagues is an immense privilege and I am very excited about the future", says Professor Jairo Sinova.

More information: Kurebayashi, H., Sinova, J. et al., "An antidumping spin–orbit torque originating from the Berry curvature," *Nature Nanotechnology*, 2 March 2014 DOI: 10.1038/nnano.2014.15

Provided by Universitaet Mainz

Citation: Relativity shakes a magnet (2014, March 3) retrieved 17 July 2024 from <u>https://phys.org/news/2014-03-relativity-magnet.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.