

## **Radiation damage at the root of Chernobyl's ecosystems**

March 19 2014



Background radiation levels in the Chernobyl area vary widely by location. Credit: *Oecologia* 

Radiological damage to microbes near the site of the Chernobyl disaster has slowed the decomposition of fallen leaves and other plant matter in the area, according to a <u>study just published</u> in the journal *Oecologia*. The resulting buildup of dry, loose detritus is a wildfire hazard that poses



the threat of spreading radioactivity from the Chernobyl area.

Tim Mousseau, a professor of biology and co-director of the Chernobyl and Fukushima Research Initiatives at the University of South Carolina, has done extensive research in the contaminated area surrounding the Chernobyl nuclear facility, which exploded and released large quantities of radioactive compounds in the Ukraine region of the Soviet Union in 1986. He and frequent collaborator Anders Møller of Université Paris-Sud noticed something unusual in the course of their work in the Red Forest, the most contaminated part of the Chernobyl Exclusion Zone.

"We were stepping over all these dead trees on the ground that had been killed by the initial blast," Mousseau said. "Some 15 or 20 years later, these tree trunks were in pretty good shape. If a tree had fallen in my backyard, it would be sawdust in 10 years or so."

They set out to assess the rate at which plant material decomposed as a function of <u>background radiation</u>, placing hundreds of samples of uncontaminated leaf litter (pine needles and oak, maple and birch leaves) in mesh bags throughout the area. The locations were chosen to cover a range of radiation doses, and the samples were retrieved after nine months outdoors.

A statistical analysis of the weight loss of each leaf litter sample after those nine months showed that higher background radiation was associated with less weight loss. The response was proportional to radiation dose, and in the most contaminated regions, the leaf loss was 40 percent less than in control regions in Ukraine with normal background radiation levels.

They also measured the thickness of the forest floor in the same areas where samples were placed. They found that it was thicker in places with higher background radiation.



The team concluded that the bacteria and fungi that decompose <u>plant</u> <u>matter</u> in healthy ecosystems are hindered by <u>radioactive contamination</u>. They showed a smaller effect for small invertebrates, such as termites, that also contribute to decomposition of plant biomass.

According to Mousseau, slower decomposition is likely to indirectly slow plant growth, too, given that the products of <u>decomposition</u> are nutrients for new plants. The team recently <u>reported</u> diminished tree growth near Chernobyl, which he says likely results both from direct radiation effects and indirect effects such as reduced nutrient supply.

"It's another facet of the impacts of low-dose-rate radioactive contaminants on the broader ecosystem," Mousseau says. "We've looked at many other components, namely the populations of animals in the area, and this was an opportunity for broadening our range of interests to include the plant and microbial communities."

The results also show the potential for further spread of radioactivity.

"There's been growing concern by many different groups of the potential for catastrophic forest fires to sweep through this part of the world and redistribute the radioactive contamination that is in the trees and the plant biomass," Mousseau says. "That would end up moving radiocesium and other contaminants via smoke into populated areas.

"This litter accumulation that we measured, which is likely a direct consequence of reduced microbial decomposing activity, is like kindling. It's dry, light and burns quite readily. It adds to the fuel, as well as makes it more likely that catastrophically sized forest fires might start."

Provided by University of South Carolina



Citation: Radiation damage at the root of Chernobyl's ecosystems (2014, March 19) retrieved 20 May 2024 from <u>https://phys.org/news/2014-03-root-chernobyl-ecosystems.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.