

Astronomers discover first self-lensing binary star system

April 18 2014, by Bob Yirka



Geometry and light curve of the KOI-3278 system. As the white dwarf orbits a G dwarf (sun-like star) in this system, when the white dwarf passes in front of the G dwarf, it causes gravitational magnification, resulting in a pulse with a duration of 5 hours and height of 0.1%, while when it passes behind, it is blocked from view, causing an occultation and a dip, also of 0.1% (by coincidence). The black line represents the orbital flux as a function of time, relative to the flux only of the G dwarf (which is shown as a dotted line). This diagram is not to scale, and does not show the stellar variability or noise. For example, the pulse and occultation only last 5 hours out of the 88.2 days of the



orbit, while in this diagram they last a much larger fraction of the orbit. Credit: Eric Agol

(Phys.org) —A pair of astronomers at the University of Washington has discovered the first known instance of a self-lensing binary-star system. In their paper published in the journal *Science*, Ethan Kruse and Eric Agol describe how they happened across the previously theorized system while looking for undiscovered planets.

Scientists believe that nearly half of the <u>stars</u> in the <u>night sky</u> are multistar systems, many of them binaries. Also, some binary star systems are unique in that their orbital path around each other lies in a plane with the planet Earth, which means from our perspective, they pass in front of one another on a periodic basis, causing an eclipse—generally, this results in dimming, which some might see as twinkling. In other instances, theory has suggested, the opposite should occur—instead of dimming, the eclipse should result in brightening—a phenomenon known as self-lensing—as the star in front magnifies light from the star behind it.

Self-lensing is based on Einstein's theory of relativity—light may not have mass, but it is still subject to gravity, it bends when passing stars for example. For that reasons, astronomers have been suggesting for years that if there existed a <u>binary star system</u> where one of the stars was similar to our own sun, but the other was a white dwarf—small but with a huge mass, and thus lots of gravity—than self-lensing should occur when the smaller star passed in front of the larger star. And that's just what Kruse and Agol have found.

The two were studying the star KOI 3278 because it had previously been found to dim on a periodic basis. Thinking it was doing so because of a



planet passing in front of it, the researchers looked closer. Instead of a planet, the researchers discovered another star. As they orbited, the two stars took turns passing between us and their mate, every 88 days. When the sun-sized star was out front, the binary <u>system</u> dimed, as occurs with most <u>binary star</u> systems. But when the smaller star was out front, the two observed, instead of growing dimmer, the result was a very subtle brightening (a 0.1 percent increase) that lasted for five hours, confirming theories and stoking hopes that one day an observation will be made of a similar system made up of neutron stars or black holes.

More information: KOI-3278: A Self-Lensing Binary Star System, *Science* 18 April 2014: Vol. 344 no. 6181 pp. 275-277 <u>DOI:</u> <u>10.1126/science.1251999</u>

ABSTRACT

Over 40% of Sun-like stars are bound in binary or multistar systems. Stellar remnants in edge-on binary systems can gravitationally magnify their companions, as predicted 40 years ago. By using data from the Kepler spacecraft, we report the detection of such a "self-lensing" system, in which a 5-hour pulse of 0.1% amplitude occurs every orbital period. The white dwarf stellar remnant and its Sun-like companion orbit one another every 88.18 days, a long period for a white dwarf–eclipsing binary. By modeling the pulse as gravitational magnification (microlensing) along with Kepler's laws and stellar models, we constrain the mass of the white dwarf to be ~63% of the mass of our Sun. Further study of this system, and any others discovered like it, will help to constrain the physics of white dwarfs and binary star evolution.

© 2014 Phys.org

Citation: Astronomers discover first self-lensing binary star system (2014, April 18) retrieved 2 May 2024 from <u>https://phys.org/news/2014-04-astronomers-self-lensing-binary-star.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.