

## **Bigger is not always better, but it helps, says new research on beetles**

April 29 2014



Researchers at the University of Exeter have found that the probability of a burying beetle winning fights, for the small animal carcasses it needs, depends on a combination of early life experiences and the competition it faces as an adult. These beetles use small dead animals, such as mice and songbirds, to provide food for their young and competition for a carcass can be fierce. Credit: Paul Hopwood

## Researchers at the University of Exeter have found that the probability



of a burying beetle winning fights, for the small animal carcasses it needs, depends on a combination of early life experiences and the competition it faces as an adult.

These <u>beetles</u> use small dead animals, such as mice and songbirds, to provide <u>food</u> for their young and competition for a carcass can be fierce.

Previous work has found that success in such contests depends on how good your early adult life environment was, not just how big you are. However, in many animals food availability can vary enormously throughout development, and little is known about how variation in the amount of food animals can find at different times of development affects their success in adulthood.

New work published today in the journal *Proceedings of the Royal Society B* manipulated the amount of food burying beetles received at two different stages of development: firstly during the larval stage and secondly, when maturing into a young adult (just after emerging from their pupa). Then the adult beetles were put into an arena with a mouse carcass and another beetle of the same sex as a competitor, and the outcome of the contest was recorded.

The size of the beetle in relation to its opponent determined whether the level of competition it faced was low (beetle was larger than opponent) or high (beetle was smaller than opponent).

The amount of food that beetles received when they were larvae affected their size as adults but did not affect their competitive ability against beetles of similar size. In contrast, the amount of food that beetles received as young adults did affect success in contests, especially when the level of competition beetles faced from their opponent was high.

Paul Hopwood, of the Centre for Ecology and Conservation at the



University of Exeter, said: "Our research shows that beetles that had a good <u>food supply</u> as developing, young adults were more likely to win contests over carcasses later in life, even if they were smaller than their <u>opponent</u>. In addition, although having a poor food supply as larvae did not affect how competitive beetles were against opponents of similar size, they were smaller, so were more likely to encounter beetles that were larger than themselves. Bigger is most often better in contests, so they were more likely to lose contests than beetles that had good food supply as larvae."

The study provides evidence in support of 'silver spoon' effects, where individuals receiving good nutrition during early development have a lasting advantage over individuals that received poor nutrition during development.

**More information:** Effects of resource variation during early life and adult social environment on contest outcomes in burying beetles, <u>rspb.royalsocietypublishing.or ... 1098/rspb.2013.3102</u>

Provided by University of Exeter

Citation: Bigger is not always better, but it helps, says new research on beetles (2014, April 29) retrieved 16 May 2024 from <u>https://phys.org/news/2014-04-bigger-beetles.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.