

# Distant dust and atmospheric rivers increase flooding in California

April 1 2014, by Kristin Manke

---



Snow melt from the Sierra Nevada Mountains is the major fresh water supply for California. Credit: Creative Commons

Overseas dust increases the Sierra Nevada Mountains snowpack and atmospheric rivers cause it to rapidly melt, according to scientists at DOE's Pacific Northwest National Laboratory and their colleagues. The team reached this finding by modeling two cloud conditions under the influence of atmospheric rivers, narrow bands of moisture transported from the tropics, during a field experiment called CalWater 2011. Atmospheric rivers are the primary cause of flooding in California by

dumping rain and accelerating snowmelt in the mountainous terrain. Dust blown in possibly from Asia and Africa increases the formation of snow in winter clouds over California and increases rain- and snowfall by 10 to 20 percent. However, local pollution from California cities and the Central Valley has little impact on snowfall. Further, local pollution's influence on rain from warm clouds heavily depends on cloud conditions and the strength of a low level jet, often associated with atmospheric rivers, that blows parallel to the Sierra Nevada Mountains.

"We used observational data captured in the clouds and on the surface to better understand how cloud ice forms in the presence of dust particles and simulated this process in models," said Dr. Jiwen Fan, PNNL atmospheric scientist and lead author of the study. "We compared the impacts of long-range transported dust to local pollution from coastal cities and the Central Valley on cold-season precipitation in contrasting cloud and meteorological conditions."

The largest source of fresh water for irrigation and other purposes in California is snowmelt from the Sierra Nevada Mountains. Regional water resource managers must understand the environmental and climate influences on California's water supply sources. This need propelled the CalWater 2011 field campaign. Understanding the factors that impact precipitation and mountain snowpack will help improve regional climate predictions and far-reaching effects on people and food supplies.

In the future, a second field campaign, led by Dr. Ruby Leung at PNNL in collaboration with a larger team of multi-agency and university researchers, will be conducted over the same region, but with additional measurements over the Pacific Ocean. Researchers will collect more data to systematically study [atmospheric rivers](#) and aerosols'; impact on snow and regional precipitation in California and improve models to better simulate aerosol effects on regional and global precipitation.

Provided by Oak Ridge National Laboratory

Citation: Distant dust and atmospheric rivers increase flooding in California (2014, April 1)  
retrieved 11 May 2024 from <https://phys.org/news/2014-04-distant-atmospheric-rivers-california.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.