


Robotics goes micro-scale

April 17 2014



The shaping of micro-scale objects enables fine control over their mechanical interactions with light, providing a new avenue towards light driven micro-machines. This image shows a schematic of an optically trapped probe with specially shaped conical handles and a sharp tip for imaging surface features. Credit: David Phillips.

(Phys.org) —The development of light-driven 'micro-robots' that can autonomously investigate and manipulate the nano-scale environment in a microscope comes a step closer, thanks to new research from the

University of Bristol. Such devices could be used for high-resolution imaging, allowing the investigation of delicate biological samples such as cells in new ways.

Dr David Phillips, Professor Mervyn Miles and Dr Stephen Simpson of Bristol's School of Physics, and colleagues, aim to develop such micro-robots and control them using a technology known as '[optical tweezers](#)'. In a paper published today in *Nature Photonics*, they investigate how optical tweezers can be used to manipulate nanofabricated structures to generate high-resolution images.

Optical tweezers use [light](#) to move microscopic objects such as individual cells or particles 1,000 times smaller than the width of human hair. When light reflects from a surface, or bends as it travels into a transparent material, it exerts a force on the object with which it has interacted. This force is very small, so we do not normally notice it in everyday life. But when the objects are themselves small, such as [microscopic particles](#), then the forces that light exerts on them can be enough to push and pull them around.

This is the basis of optical tweezing technology: by focusing a laser towards particles in a microscope, scientists can use the light to pick them up, hold them still in one place, or move them around.

The Bristol team fabricated a set of needle-like microscopic particle 'probes', and used optical tweezers to pick them up and scan them along the side of a surface inside a microscope sample.

By monitoring changes in the position of the needle as it glided over nano-scale bumps in the surface with a high-speed video camera, they were able to build up an image of the surface that was impossible to see from the [microscope image](#) alone.

They also showed how the precise shape of the needle structure plays a fundamental role in how it behaves in the optical tweezers. They tailored the shape of the needle so that the forces exerted on the [surface](#) remained constant throughout the scan without the need for any computer controlled feedback – in essence this stopped them 'pressing too hard', making this device promising for investigating delicate biological samples.

Dr Phillips said: "This work paves the way towards the development of light-driven micro-robotics by providing a set of design rules for how complicated micro-structures will behave in light fields, and using them to design a new scanning probe imaging system that can operate inside an enclosed microfluidic chamber."

More information: "Shape-induced force fields in optical trapping."
D. B. Phillips, et al. *Nature Photonics* (2014) [DOI: 10.1038/nphoton.2014.74](#) . Received 18 October 2013 Accepted 06 March 2014 Published online 13 April 2014.

Provided by University of Bristol

Citation: Robotics goes micro-scale (2014, April 17) retrieved 23 April 2024 from <https://phys.org/news/2014-04-robotics-micro-scale.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--