

New self-healing plastics developed

April 11 2014

Scratches in the car finish or cracks in polymer material: Self-healing materials can repair themselves by restoring their initial molecular structure after the damage. Scientists of the Karlsruhe Institute of Technology and Evonik Industries have developed a chemical crosslinking reaction that ensures good short-term healing properties of the material under mild heating. The research results have now been published in the *Advanced Materials* journal.

The KIT group headed by Christopher Barner-Kowollik uses the possibility of crosslinking functionalized fibers or small molecules by a reversible chemical reaction for the production of self-healing materials. These so-called switchable networks can be decomposed into their initial constituents and reassembled again after the damage. The advantage is that the self-healing mechanism can be initiated any time by heat, light or by the addition of a chemical substance. "Our method does not need any catalyst, no additive is required," Professor Barner-Kowollik says. The holder of the Chair for Preparative Macromolecular Chemistry at KIT studies syntheses of macromolecular chemical compounds.

It took about four years of research for the working group of Barner-Kowollik, together with the Project House Composites of Creavis, the strategic innovation unit of Evonik, to develop a novel polymer network. At comparably low temperatures from 50°C to 120°C, the network exhibits excellent healing properties within a few minutes. Reducing the time needed for healing and optimizing the external conditions, under which the healing process takes place, are the major challenges of research relating to self-healing [materials](#). Using the healing cycle

developed by them, the KIT researchers have found a large number of intermolecular compounds that close again within a very short term during cooling. Mechanical tests, such as tensile and viscosity tests, confirmed that the original properties of the material can be restored completely. "We succeeded in demonstrating that test specimens after first healing were bound even more strongly than before," Barner-Kowollik says.

The self-healing properties can be transferred to a large range of plastics known. Apart from [self-healing](#), the material is given another advantageous property: As flowability is enhanced at higher temperatures, the material can be molded well. A potential field of application lies in the production of fiber-reinforced plastics components for automotive and aircraft industries.

More information: Kim K. Oehlenschlaeger, Jan O. Mueller, Josef Brandt, Stefan Hilf, Alben Lederer, Manfred Wilhelm, Robert Graf, Michele L. Coote, Friedrich G. Schmidt, and Christopher Barner-Kowollik: Adaptable Hetero Diels-Alder Networks for Fast Self-Healing under Mild Conditions. *Advanced Materials*, 2014. [DOI: 10.1002/adma.201306258](#)

Provided by Helmholtz Association of German Research Centres

Citation: New self-healing plastics developed (2014, April 11) retrieved 24 April 2024 from <https://phys.org/news/2014-04-self-healing-plastics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
