

# Explaining Australia's new wave of animal extinctions

May 7 2014, by Luke Houghton

---

As a fresh wave of extinctions sweeps through the ranks of Australian native animals, scientists are deploying their most powerful weapon yet in the struggle to understand and head off the wipe-out.

Progress in developing the first nationwide database of Australian mammal observations, and understanding what is driving the dramatic rate of disappearances, will be reported to a national conference in Canberra today.

With a hundred marsupial species at risk of extinction across the continent concern is acute over recent, sudden declines in small marsupial numbers in the tropical north, says Professor Chris Johnson of the University of Tasmania and an Australian Centre for Ecological Analysis and Synthesis (ACEAS) Working Group member.

"For example around twenty small native mammals have apparently disappeared completely from Kakadu National Park – including bandicoots, northern quolls, arboreal possums, phascogales and others [animals](#) than inhabit the open, drier parts of the landscape."

The ACEAS database, which now combines more than 600,000 records of Australian native animals across the continent is proving invaluable in providing clues as to 'whodunnit' – who or what is behind the extinctions.

Professor Johnson says using the database, researchers have been able to

compare the current wave of extinctions with earlier ones – and discovered some common factors.

"First, the extinctions are occurring mainly in ground-dwelling animals of small body-size which live in open, dry habitat. This points the finger of suspicion strongly at an introduced predator – the cat.

"We have seen similar extinction patterns driven by predators like foxes in southern Australia – so the big question was: 'is history repeating itself, or is it something new?'"

The fact that the vanished animals are of small body-size points to feral cats as the main predator in the north, he says. In southern Australia, foxes prefer slightly larger prey – and these were the ones most likely to disappear.

However the ACEAS database also reveals major changes in landscape management which may be aiding the cats in their gruesome task of demolishing Australia's native wildlife.

"Fire management, as practised in recent years, was opening up large tracts of country – creating an ideal environment for cats to hunt in, along with other predators. However Aboriginal fire management burns much smaller patches of country, providing more areas for [small mammals](#) to hide in – so this may be one solution."

Changes in land use and management have resulted in more open country, where small mammals are vulnerable.

"It is probably no one thing, but the data points to a combination of several effects – all of which tend to favour the hunting style adopted by cats and place small ground-dwelling animals at greater risk.

"The information in the database has enabled us to understand exactly what it is that cats do, how and where they hunt, and why these changed conditions favour them. This gives us a much better idea of how to tackle the problem."

Professor Johnson said there is growing demand from cattle graziers and other land managers for better advice on how they can help to protect native animals, and this is starting to emerge from the mass of data.

The database, delivered through the ACEAS web portal, is the first comprehensive information source for Australia-wide mammal presence and abundance, and is becoming a primary tool for investigating declines and fighting extinctions across the continent.

One of its most important uses will be to map future impacts of climate change on Australian animals, identify places where they may be able to find refuge and build national conservation plans and policy around these

For example, a radical map produced from the ACEAS data shows where and how far ideal habitats for various animals are likely to migrate across the landscape in the coming sixty years. This suggests that in some cases animals may have to move several hundred kilometres from their current range in order to have a chance of surviving the effects of increased climate variability.

Provided by University of Queensland

Citation: Explaining Australia's new wave of animal extinctions (2014, May 7) retrieved 6 May 2024 from <https://phys.org/news/2014-05-australia-animal-extinctions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.