

More extreme heat and drought in coming decades

May 7 2014, by Julie Chao

By the end of this century climate change will result in more frequent and more extreme heat, more drought, and fewer extremes in cold weather in the United States. Average high temperatures could climb as much as 10 or more degrees Fahrenheit in some parts of the country. These are some of the projections made by Lawrence Berkeley National Laboratory (Berkeley Lab) climate scientist Michael Wehner and his co-authors on the National Climate Assessment (NCA).

"Today's rare weather events will become commonplace," said Wehner, a [climate scientist](#) in Berkeley Lab's Computational Research Division and an expert in using [climate models](#) run on supercomputers to study extreme weather events. "Climate change is real and is likely to get worse. How much worse depends on our actions now."

Wehner is a lead author of several sections of the NCA, released today (May 6) by the White House. The report is meant to help inform Americans' choices and decisions about investments, where to build and where to live, how to create safer communities and secure their own and their children's future. "All Americans who are concerned about [climate change](#) should read this report or visit the National Assessment website," said Wehner, who was also a lead author on the Fifth Assessment Report of the U.N.'s Intergovernmental Panel on Climate Change (IPCC), released last year.

Wehner and his co-authors of Chapter 2 of the NCA, which looked at the physical basis for our understanding of [climate change](#), considered

seven different future scenarios (including four new ones), ranging from the "do nothing" option to a geoengineering option, which would require an as-yet uninvented technology to take CO₂ out of the atmosphere on a global scale, to achieve net negative emissions of greenhouse gases by 2050.

Even under this rosier scenario average temperatures at the end of the century are projected to rise by 3 degrees Fahrenheit in much of the United States relative to the recent past (1986-2005). In the worst case considered—which Wehner notes is not the worst case possible since current emissions levels are already higher—hot temperatures that recently were 20-year events will become annual occurrences. The temperature of such hot spells will increase from 9 degrees Fahrenheit in southern areas and along the West Coast to more than 12 degrees Fahrenheit in parts of the Midwest and northern Rockies.

Precipitation patterns will also change. There will be more winter and spring precipitation in the northern U.S. and less winter and spring precipitation in the southwest U.S. Moreover, there will be severe agricultural drought conditions across most of the country by 2070 and much longer dry seasons in the southern part of the country. The climate models project decreased soil moisture in much of the U.S. in both summer and winter.

Wehner, who was also a lead author on the second National Climate Assessment report published in 2009, said one major improvement in this third NCA is increased confidence in the projections. "We have an even more thorough understanding of the human changes to the climate enabled in part by better computer models and their more complete representation of the climate system," he said.

Provided by University of California - Berkeley

Citation: More extreme heat and drought in coming decades (2014, May 7) retrieved 27 April 2024 from <https://phys.org/news/2014-05-extreme-drought-decades.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.