

Liquid crystal as lubricant

May 21 2014



The Stifteverband Science Prize for scientific excellence in Germany was awarded to: Dr. Holger Kretzschmann (Nematel), Werner Stehr and Susanne Beyer-Faiß (Dr. Tillwich GmbH), Dr. Andreas Kailer and Dr. Tobias Amann (Fraunhofer IWM). Credit: © Dirk Mahler/Fraunhofer

Thanks to a new lubricant, small gears can run with virtually no friction. Made from liquid crystalline fluid, these lubricants drastically reduce friction and wear.

Lubricants are used in motors, axels, ventilators and manufacturing



machines. Although lubricants are widely used, there have been almost no fundamental innovations for this product in the last twenty years. Together with a consortium, the Fraunhofer Institute for Mechanics of Materials IWM in Freiburg has developed an entirely new class of substance that could change everything: liquid crystalline <u>lubricant</u>. Its chemical makeup sets it apart; although it is a liquid, the molecules display directional properties like crystals do. When two surfaces move in opposite directions, the <u>liquid crystal</u> molecules between the two surfaces align themselves so that the frictional resistance is extremely low. This enables nearly frictionless sliding.

Liquid crystals are known for its use in <u>liquid crystal displays</u> (LCDs) in TV screens, mobile phones or touchscreens. The unusual idea to use them as a lubricant was proposed by Nematel GmbH, which then turned to Fraunhofer IWM to see if it would work. There, Dr. Tobias Amann applied the lubricant made from liquid crystal between two metal workpieces. "Even in the first test, we measured extremely low friction coefficients," remembers Amann.

Match-shaped molecules form a liquid crystalline structure

The researchers at Fraunhofer IWM discovered that liquid crystal is well suited for lubricants because its molecules are long and thin. "When used as a lubricant between two surfaces that slide past each other, the molecules become aligned in parallel to each other in ordered boundary layers," explains Dr. Andreas Kailer, acting director for the Tribology business unit at Fraunhofer IWM. These layers are very stable but slide easily over each other, keeping friction and wear to a minimum.

Still, much was missing before a liquid crystal lubricant suitable for practical applications could be developed. Fraunhofer IWM launched a



project along with Nematel GmbH and the lubricant experts at Dr. Tillwich GmbH in 2010, sponsored by the German Federal Ministry of Education and Research (BMBF).. Susanne Beyer-Faiß, a chemist at Tillwich, improved the liquid crystal's stability with help from additives. At the same time, her colleague, Werner Stehr, built a special test unit that uses laser technology to enable contact-free measurement of the extremely low friction coefficients. At Fraunhofer IWM, Tobias Amann tested different liquid crystals manufactured by Dr. Holger Kretzschmann at Nematel; among other things, Amann conducted friction experiments with various materials, including iron, copper and ceramic. He also examined the chemical mechanisms displayed during friction and the effects of mixing different liquid crystal molecules. Tobias Amann deciphered the mechanisms that are responsible for these ultra-low frictional coefficients and discovered how to further optimize the new lubricants in specific ways. He also examined the chemical mechanisms displayed during friction and the effects of mixing different liquid crystal molecules. When the project came to an end, the partners had produced a liquid crystalline lubricant prototype that performed best in sliding bearings made of iron. For this pioneering work, Dr. Tobias Amann, Dr. Andreas Kailer, Susanne Beyer-Faiß, Werner Stehr and Dr. Holger Kretzschmann received the Stifterverband Science Prize, which is awarded every two years for scientific excellence in applied research projects.

Currently, the award winners are developing innovative sliding bearings lubricated with liquid crystal for small electric motors for use in the automobile industry, for instance in alternators or windshield wiper motors.

Provided by Fraunhofer-Gesellschaft

Citation: Liquid crystal as lubricant (2014, May 21) retrieved 28 April 2024 from



https://phys.org/news/2014-05-liquid-crystal-lubricant.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.