

Recreational fishing poses threat to shore-nesting birds

May 30 2014, by Deborah Smith



A red-capped plover. Credit: Ben Parkhurst

(Phys.org) —Fish waste left on beaches by recreational fishers could harm shore-nesting birds by attracting native crows that eat the birds' eggs, a UNSW-led study shows.

Researchers found that the activity of Australian ravens was 17 times higher near nests that had fish carcasses nearby, than near nests without carcasses.

The study also revealed that foxes were not the culprits in loss of eggs from nests as is often assumed.

"Reducing the amount of waste discarded on beaches will benefit shore-nesting birds like red-capped plovers. Even small quantities of fish scraps can increase the activity of [nest predators](#)," says study lead author, James Rees, of the UNSW School of Biological, Earth and Environmental Sciences.

The study is published in the journal *Animal Conservation*.

"Poison baits are used to kill foxes in national parks because it is believed they are major predators of nests. But our research shows that ravens may be having a far greater impact than foxes," says senior author of the study, Dr Mike Letnic, of the UNSW Centre for Ecosystem Science.

In Australia, populations of beach-nesting birds are declining, and predation of their nests is a contributing factor.

The team placed [artificial nests](#) resembling those of red-capped plovers at sites one kilometre apart along Stockton Beach near Newcastle on the NSW coast.

Two Japanese quail eggs were placed in each nest, and a fish carcass was placed nearby at half the sites. The researchers also monitored the tracks of animals near the nests.

After 72 hours, predators had attacked 96 per cent of the nests near carcasses, compared with only 30 per cent of the nests free of fish waste.

"Ravens were identified as the culprits for 80 per cent of the plundered nests, and we did not find any sea gull or fox tracks near any of the [nests](#) where eggs were destroyed," says Dr Letnic.

"Fishers can help protect our shore-nesting [birds](#) from predatory ravens

by burying or disposing of their [fish](#) waste," says Mr Rees.

More information: Rees, J. D., Webb, J. K., Crowther, M. S. and Letnic, M. (2014), "Carrion subsidies provided by fishermen increase predation of beach-nesting bird nests by facultative scavengers." *Animal Conservation*. doi: 10.1111/acv.12133

Provided by University of New South Wales

Citation: Recreational fishing poses threat to shore-nesting birds (2014, May 30) retrieved 3 May 2024 from <https://phys.org/news/2014-05-recreational-fishing-poses-threat-shore-nesting.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--