

## From biomass soup to new, useful raw materials

June 17 2014



Biomass is not oil. However, it is going to have to replace the raw materials currently made from fossil sources if we are to sustainably satisfy the demand for plastics, solvents, paints and adhesives. This is quite a challenge, as there are many different forms of biomass and its composition varies from year to year, explained Harry Bitter upon accepting his appointment as Professor of Biobased Commodity



Chemistry at Wageningen University on 12 June.

The use of <u>biomass</u> to replace crude oil immediately runs up against a mountain of problems if you want to use it for the same purposes, said Professor Bitter in his inaugural address entitled Chemicals from biobased feedstocks – integration on multiple length scales. There is every reason to make the switch from crude oil, as it is slowly running out, and because biomass is CO2-neutral. However, biomass is not oil – it is usually wet, contains a lot of inflexible, 'difficult' oxygen at the molecular level, and its composition is like the soup of the day – it largely depends on the main ingredient of the harvest that year. In solid form, it is also more difficult to transport, comes from several locations and is only available at a particular time of year. 'And from this turbulent biomass soup, we are going to have to obtain our <u>raw materials</u>', said Professor Harry Bitter to sum up his research challenge.

The trick is to keep the useful molecular structures in the biomass or to find a simple way of transforming them into useful components to replace the <u>crude oil</u> alternatives. 'If it sounds like we can already do this, then I am afraid I am going to have to disappoint you', said Professor Bitter. His research will focus primarily on simplifying the conversions using catalysis – a chemical acceleration process – so that organic molecules in the biomass soup can be quickly selected and converted into useful components for making, for example, food additives, medicines, adhesives, paints, plastics or biodiesel. After conversion, the required products are still mixed in amongst the residual biomass, 'Which is why it is also important to be find ways to separate them, for example using membranes or by collecting them as a solid or gas.'

## Tiptop

'What we therefore need is what I call tiptop chemistry and technology',



said Professor Bitter. Such chemistry turns a variable input into a tailored output. It is already possible to fish certain components out of the biomass to convert into useful ingredients, such as lactic acid. Chains of lactic acid units form poly lactic acid, from which biodegradable plastic beakers can already be made. 'The question is whether we can speed up the fermentation process that makes this <u>lactic acid</u> even more effective, using chemical catalysts', said Harry Bitter. Another example is a nylon-like material made from biomass that is already used in flexible petrol pump hoses. 'Ultimately, however, we need to use 100% of the biomass', said the professor, 'which is why you need to work out exactly which molecules in the biomass you want to use for which purpose.' In 10 to 20 years he expects we will have made significant progress in this area.

Provided by Wageningen University

Citation: From biomass soup to new, useful raw materials (2014, June 17) retrieved 2 May 2024 from <u>https://phys.org/news/2014-06-biomass-soup-raw-materials.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.