

# Chandra captures galaxy sparkling in X-rays

June 3 2014

---



The new Chandra observations were presented at the 224th meeting of the American Astronomical Society in Boston, Mass. (<http://aas.org/meetings/aas224>) by Roy Kilgard of Wesleyan University in Middletown, Conn. Credit X-ray: NASA/CXC/Wesleyan Univ./R.Kilgard, et al; Optical: NASA/STScI

(Phys.org) —Nearly a million seconds of observing time with NASA's Chandra X-ray Observatory has revealed a spiral galaxy similar to the Milky Way glittering with hundreds of X-ray points of light.

The galaxy is officially named Messier 51 (M51) or NGC 5194, but often goes by its nickname of the "Whirlpool Galaxy." Like the Milky Way, the Whirlpool is a [spiral galaxy](#) with spectacular arms of stars and dust. M51 is located 30 million light-years from Earth, and its face-on orientation to Earth gives us a perspective that we can never get of our own spiral galactic home.

By using Chandra, astronomers can peer into the Whirlpool to uncover things that can only be detected in X-rays. In this new composite image, Chandra data are shown in purple. Optical data from the Hubble Space Telescope are red, green, and blue.

Most of the X-ray sources are X-ray binaries (XRBs). These systems consist of pairs of objects where a compact star, either a neutron star or, more rarely, a black hole, is capturing material from an orbiting companion star. The infalling material is accelerated by the intense gravitational field of the compact star and heated to millions of degrees, producing a luminous X-ray source. The Chandra observations reveal that at least ten of the XRBs in M51 are bright enough to contain black holes. In eight of these systems the black holes are likely capturing material from companion stars that are much more massive than the Sun.

Because astronomers have been observing M51 for about a decade with Chandra, they have critical information about how X-ray sources containing black holes behave over time. The black holes with massive stellar companions are consistently bright over the ten years of Chandra observations. These results suggest that the high-mass stars in these X-ray sources also have strong winds that allow for a steady stream of material to flow onto the black hole.

A difference between the Milky Way and the Whirlpool Galaxy is that M51 is in the midst of merging with a smaller companion galaxy seen in the upper left of the image. Scientists think this galactic interaction is triggering waves of star formation. The most massive of the newly formed stars will race through their evolution in a few million years and collapse to form neutron stars or black holes. Most of the XRBs containing [black holes](#) in M51 are located close to regions where stars are forming, showing their connection to the oncoming galactic collision.

Previous studies of the Whirlpool Galaxy with Chandra revealed just over 100 X-ray sources. The new dataset, equivalent to about 900,000 seconds of Chandra observing time, reveals nearly 500 X-ray sources. About 400 of these sources are thought to be within M51, with the remaining either being in front of or behind the galaxy itself.

Much of the diffuse, or fuzzy, X-ray emission in M51 comes from gas that has been superheated by supernova explosions of massive [stars](#).

Provided by Chandra X-ray Center

Citation: Chandra captures galaxy sparkling in X-rays (2014, June 3) retrieved 24 April 2024 from <https://phys.org/news/2014-06-chandra-captures-galaxy-x-rays.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.