

## Rise and fall of prehistoric penguin populations charted

June 12 2014



A pair of Gentoo penguins. Credit: Gemma Glucas

A study of how penguin populations have changed over the last 30,000 years has shown that between the last ice age and up to around 1,000 years ago penguin populations benefitted from climate warming and retreating ice. This suggests that recent declines in penguins may be because ice is now retreating too far or too fast.



An international team, led by scientists from the Universities of Southampton and Oxford, has used a genetic technique to estimate when current genetic diversity arose in <u>penguins</u> and to recreate past population sizes. Looking at the 30,000 years before human activity impacted the climate, as Antarctica gradually warmed, they found that three species of penguin; Chinstrap, Adélie and southern populations of Gentoo penguins increased in numbers. In contrast, Gentoo penguins on the Falkland Islands were relatively stable, as they were not affected by large changes in ice extent.

A report of the research is published in the journal Scientific Reports.

Lead author of the paper, Gemma Clucas, from Ocean and Earth Sciences at the University of Southampton comments: "Whereas we typically think of penguins as relying on ice, this research shows that during the last ice age there was probably too much ice around Antarctica to support the large populations we see today. The penguins we studied need ice-free ground to breed on and they need to be able to access the ocean to feed. The extensive ice-sheets and sea ice around Antarctica would have made it inhospitable for them.





A Chinstrap penguin. Credit: Dr Tom Hart

"What is particularly interesting is that after the ice age, all of these penguin populations were climate change 'winners', that is to say the warming climate allowed them to expand and increase in number. However, this is not the pattern we're seeing today. Adélie and Chinstrap penguins appear to be declining due to climate change around the Antarctic Peninsula, so they've become 'losers'. Only the Gentoo penguin has continued to be a 'winner' and is expanding its range southward."

Dr Tom Hart of the University of Oxford's Department of Zoology, an author of the paper, continues: "We are not saying that today's warming climate is good for penguins, in fact the current decline of some penguin species suggests that the warming climate has gone too far for most penguins.



"What we have found is that over the last 30,000 years different penguin species have responded very differently to a gradually warming world, not something we might expect given the damage current rapid warming seems to be doing to penguins' prospects."



A group of Adélie penguins. Credit: Dr Tom Hart

To estimate changes in penguin genetic diversity, the researchers collected feathers and blood samples from 537 penguins in colonies around the Antarctic Peninsula. The scientists then sequenced a region of mitochondrial DNA that evolves relatively quickly. Using the rate of mutation of this region of DNA as a calibration point, the researchers were able to chart how the size of these populations has varied over time. The team working on the project included scientists from the British



Antarctic Survey and also US scientists from Oceanites Inc, Woods Hole Oceanographic Institution, and the University of North Carolina, Wilmington.

"During the last ice age Antarctica was encircled by 100 per cent more winter sea ice than today," says Dr Tom Hart. "As ice retreated, these penguins had access to more breeding sites and more open ocean to feed."

**More information:** A reversal of fortunes: climate change 'winners' and 'losers' in Antarctic Peninsula penguins, *Scientific Reports*, 2014.

## Provided by University of Southampton

Citation: Rise and fall of prehistoric penguin populations charted (2014, June 12) retrieved 3 May 2024 from <a href="https://phys.org/news/2014-06-fall-prehistoric-penguin-populations.html">https://phys.org/news/2014-06-fall-prehistoric-penguin-populations.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.