

## **Transfering magnetic fields across long distances**

June 25 2014



A new technology transfers magnetic fields to arbitrary long distances, which is comparable to transmitting and routing light in optical fibers. Credit: Universitat Autònoma de Barcelona

A Catalan, German and Austrian group of physicists has developed a new technology to transfer magnetic fields to arbitrary long distances, which is comparable to transmitting and routing light in optical fibers.



Oriol Romero-Isart and his colleagues have theoretically proposed and already tested this new device experimentally. The field of possible applications is broad and includes spintronic and quantum computers among others.

In today's high-tech world, transferring <u>electromagnetic waves</u> is essential for many technologies. This can be seen with information being circulated worldwide via optic fibers. However, a device capable of doing this with static magnetic fields does not exist as the transferred field rapidly decays with distance from the source. In Innsbruck, theoretical physicist Oriol Romero-Isart and his colleagues have now found a surprisingly simple solution for this problem.

## **Magnetic hose**

"Our theoretical studies have shown that we need a material with extreme anisotropic properties to transfer and route static magnetic fields," explains theoretical physicist Romero-Isart. This means that the material has to have extremely good permeability in one direction but zero in the perpendicular direction. Since no material exists with such extreme anisotropy, the physicists designed a different strategy: They used a ferromagnetic cylinder and wrapped it with a superconductor shell. "Superconductors are perfect magnetic insulators," explains Romero-Isart. The researcher's calculations showed that a structure of alternated superconducting and soft ferromagnetic concentric cylindrical layers could transfer more than 90% of the magnetic field to any distance. Remarkably, the researchers also calculated that up to 75 % of the magnetic field can be transferred by using only a bilayer scheme – a ferromagnetic core with a superconducting outer layer.

## **Proof-of-principle experiment**





This is a schematic representation of the magnetic hose. The magnetic field generated at the hose inlet is transmeted to the outlets. Credit: UAB

After theoretically proposing this scheme, the team experimentally demonstrated such a device. They wrapped a ferromagnet made of cobalt and iron with a high-temperature superconductor and conducted several tests. "Even though our technical set-up wasn't perfect, we could show that the static <u>magnetic field</u> is transferred well by the hose," says Prof. Sanchez, the Catalan group leader of Oriol Romero-Isart's collaborators.

This new method could be used, for example, for future quantum technology coupling distant quantum systems magnetically, applications in spintronics and other nano technologies.

The work of the physicists from the Universitat Autonoma de Barcelona, the Max-Planck-Institute of Quantum Optics, the Institute for Quantum Optics and Quantum Information of the Austrian Academy of Sciences



and the Institute for Theoretical Physics of the University of Innsbruck has been published in the renowned journal *Physical Review Letters*.

More information: "Long-Distance Transfer and Routing of Static Magnetic Fields." C. Navau, J. Prat-Camps, O. Romero-Isart, J. I. Cirac, and A. Sanchez. *Phys. Rev. Lett.* 112, 253901 . DOI: <u>10.1103/PhysRevLett.112.253901</u> (arXiv:1304.6300v2)

Provided by University of Innsbruck

Citation: Transfering magnetic fields across long distances (2014, June 25) retrieved 2 May 2024 from <u>https://phys.org/news/2014-06-magnetic-fields-distances.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.