


Study helps unlock mystery of high-temp superconductors

June 30 2014



This illustration shows the d-orbital shape that Binghamton physicist Michael Lawler and his colleagues observed in the density wave of a high-temperature superconductor. Credit: Binghamton University

A Binghamton University physicist and his colleagues say they have unlocked one key mystery surrounding high-temperature superconductivity. Their research, published this week in the *Proceedings*

of the National Academy of Sciences, found a remarkable phenomenon in copper-oxide (cuprate) high-temperature superconductors.

Michael Lawler, assistant professor of physics at Binghamton, is part of an international team of physicists with an ongoing interest in the mysterious pseudogap phase, the phase situated between insulating and superconducting phases in the cuprate phase diagram.

"Evidence has been accumulating that this phase supports an exotic density wave state that may be key to its existence," the physicists write in the new journal article. A density wave forms in a metal if the fluid electrons themselves crystalize.

Using a scanning tunneling microscope (STM) to visualize the electronic structure of the oxygen sites within a superconductor, the team found a density wave with a d-orbital structure. (The [electron density](#) near each copper atom looks a bit like a daisy in the crystallized pattern.) That's especially surprising because most [density waves](#) have an s-orbital structure; their electron density is isotropic. "It's not the pattern you would expect," Lawler says.

In this research, Lawler and his colleagues focused on a member of the cuprate class of [superconductors](#) called bismuth strontium calcium copper oxide (BSCCO). "We now believe these density waves exist in all cuprates," says Lawler, a theorist whose contribution to the research involved subtle uses of the Fourier transform, a mathematical analysis that's useful when examining amplitude patterns in waves.

Superconductors conduct electricity without resistance below a certain temperature. For decades, it was thought that these materials could conduct electricity only at temperatures far below freezing. Since 1987, however, scientists have discovered several compounds that superconduct at much higher temperatures.

Development of this technology could lead to near lossless delivery of electricity to homes and businesses as well as to improvements in cell phone tower receptions and even high-speed trains.

More information: Direct phase-sensitive identification of a d-form factor density wave in underdoped cuprates, *PNAS*,
www.pnas.org/cgi/doi/10.1073/pnas.1406297111

Provided by Binghamton University

Citation: Study helps unlock mystery of high-temp superconductors (2014, June 30) retrieved 9 April 2024 from <https://phys.org/news/2014-06-mystery-high-temp-superconductors.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--