


'Sensing skin' quickly detects cracks, damage in concrete structures

June 23 2014, by Matt Shipman



The “sensing skin” technology detects cracks in concrete (as in top image) and reports when and where the damage took place (as in bottom image). Click to enlarge. Credit: Aku Seppänen

Researchers from North Carolina State University and the University of Eastern Finland have developed new "sensing skin" technology designed to serve as an early warning system for concrete structures, allowing authorities to respond quickly to damage in everything from nuclear facilities to bridges.

"The sensing skin could be used for a wide range of structures, but the

impetus for the work was to help ensure the integrity of critical infrastructure such as [nuclear waste storage](#) facilities," says Dr. Mohammad Pour-Ghaz, an assistant professor of civil, construction and environmental engineering at NC State and co-author of a paper describing the work.

"The idea is to identify problems quickly so that they can be addressed before they become big problems and – in the case of some [critical infrastructure](#) – so that public safety measures can be implemented," Pour-Ghaz says.

The skin is an electrically conductive coat of paint that can be applied to new or existing structures. The paint can incorporate any number of conductive materials, such as copper, making it relatively inexpensive.

Electrodes are applied around the perimeter of a structure. The sensing skin is then painted onto the structure, over the [electrodes](#). A computer program then runs a small current between two of the electrodes at a time, cycling through a number of possible electrode combinations.

Every time the current runs between two electrodes, a computer monitors and records the electrical potential at all of the electrodes on the structure. This data is then used to calculate the sensing skin's spatially distributed electrical conductivity. If the skin's conductivity decreases, that means the structure has cracked or been otherwise damaged.

The researchers have developed a suite of algorithms that allow them to both register damage and to determine where the damage has taken place.

"Determining the location of the damage based on the measured electrode potentials is a challenging mathematical problem," says Dr.

Aku Seppänen, an Academy Research Fellow in the Department of Applied Physics at the University of Eastern Finland and co-author of the paper. "We had to develop new computational methods to more reliably determine where the damage is. Ultimately, I think our work represents an advance over previous algorithms in terms of accuracy."

The researchers have demonstrated the effectiveness and accuracy of the sensing skin on a small scale, using concrete beams less than a meter wide.

"Our next step is to extend this to large geometries," Pour-Ghaz says. "We want to show that this will work on real-world structures."

More information: The paper, "Electrical impedance tomography-based sensing skin for quantitative imaging of damage in concrete," was published online June 18 in the journal *Smart Materials and Structures*. iopscience.iop.org/0964-1726/23/8/085001/article

Provided by North Carolina State University

Citation: 'Sensing skin' quickly detects cracks, damage in concrete structures (2014, June 23) retrieved 30 June 2024 from <https://phys.org/news/2014-06-skin-quickly-concrete.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.