

# One of the world's most significant finds of marine reptile fossils from the cretaceous period

June 4 2014

---



Articulated skeleton of an ichthyosaur from the Torres del Paine National Park.  
Credit: W. Stinnesbeck

The cache of skeletal ichthyosaurs stumbled upon ten years ago in Chile turns out to be one of the world's most significant fossil finds of marine

reptiles from the Cretaceous period, containing many nearly fully preserved ichthyosaur skeletons as well as numerous other fossils. This is the conclusion of a German-Chilean research team of geoscientist Prof. Dr. Wolfgang Stinnesbeck of Heidelberg University and palaeontologist Prof. Dr. Eberhard Frey of the State Museum of Natural History Karlsruhe. The scientists have fully catalogued the discovery for the first time, while at the same time reconstructing the conditions that led to the excellent preservation and unusual concentration of "fish-lizard" skeletons. Their results were published in the journal "Geological Society of America Bulletin".

In the southern summer of 2004, in Torres del Paine National Park in Patagonia near Chile's southern tip, glaciologists stumbled upon the skeletal remains of ichthyosaurs, or fish-lizards, probably exposed just a few years earlier as the Patagonian glacier receded. Prof. Stinnesbeck and Prof. Frey as well as scientists in Chile have spent the last few years studying this new and scientifically rich site. In three expeditions the German-Chilean team of experts uncovered more than 40 virtually complete skeletons of adult and juvenile ichthyosaurs, and even embryos, as well as ammonites, belemnites, bivalves, bony fishes and plant remains. "This concentration is unique for Chile and South America, making the fossil site significant internationally," explains the researcher from Heidelberg University's Institute of Earth Sciences.

According to the German-Chilean research team, the fish-lizard lived and hunted along the northeastern edge of a deep sea that then separated the Antarctic continent from Patagonia. Adults and juveniles hunted in groups in an underwater canyon rich with squid and small fish, their most important prey. As the continent gradually broke apart, earthquakes or avalanches on the steep slope occasionally unleashed devastating mudflows that sucked everything in their path down with them, including the [marine reptiles](#). "The air-breathing fish-lizards became disoriented in the turbidity currents. They were sucked down hundreds

of metres into the deep ocean," says Prof. Stinnesbeck. "The fine sediment that was swept along immediately entombed the dead or dying animals."



Credit: Heidelberg University

The German Research Foundation funded the studies at the site. In addition to Prof. Stinnesbeck and Prof. Frey, Dr. Marcelo Leppe Cartes of the Instituto Antártico Chileno (INACH), the Chilean Antarctic Institute in Punta Arenas, as well as the Corporación Nacional Forestal (CONAF), the Chilean National Forest Corporation, took part in the project.

**More information:** Wolfgang Stinnesbeck, Eberhard Frey, Luis Rivas,

Judith Pardo Pérez, Marcelo Leppe Cartes, Christian Salazar Soto and Patricio Zambrano Lobos: "A Lower Cretaceous ichthyosaur graveyard in deep marine slope channel deposits at Torres del Paine National Park, southern Chile." *Geological Society of America Bulletin* (published online 22 May 2014), [DOI: 10.1130/B30964.1](https://doi.org/10.1130/B30964.1)

Provided by Heidelberg University

Citation: One of the world's most significant finds of marine reptile fossils from the cretaceous period (2014, June 4) retrieved 25 April 2024 from <https://phys.org/news/2014-06-world-significant-marine-reptile-fossils.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.