

ASU, USGS project yields sharpest map of Mars' surface properties

July 15 2014



A small impact crater on Mars named Gratteri, 4.3 miles (6.9 km) wide, lies at the center of large dark streaks. Unlike an ordinary daytime photo, this nighttime image shows how warm various surface areas are. Brighter tones mean warmer temperatures, which indicate areas with rockier surface materials. Darker areas indicate cooler and dustier terrain. For example, the bright narrow rings scattered across the image show where rocks are exposed on the uplifted rims of impact craters. Broad, bright areas show expanses of bare rock and durable crust. Finegrain materials, such as dust and sand, show up as dark areas, most notably in the streaky rays made of fine material flung away in the aftermath of the meteorite's impact. Credit: NASA/JPL-Caltech/Arizona State University



(Phys.org) —A heat-sensing camera designed at Arizona State University has provided data to create the<u>most detailed global map</u> yet made of Martian surface properties.

The <u>map</u> uses data from the Thermal Emission Imaging System (<u>THEMIS</u>), a nine-band visual and infrared camera on NASA's <u>Mars</u> Odysseyorbiter. A version of the <u>map optimized for scientific</u> researchers is available at the U.S. Geological Survey (USGS).

The new Mars map was developed by the Geological Survey's Robin Fergason at the USGS Astrogeology Science Center in Flagstaff, Arizona, in collaboration with researchers at ASU's Mars Space Flight Facility. The work reflects the close ties between space exploration efforts at Arizona universities and the U.S. Geological Survey.

"We used more than 20,000 THEMIS nighttime temperature images to generate the highest resolution surface property map of Mars ever created," says Fergason, who earned her doctorate at ASU in 2006. "Now these data are freely available to researchers and the public alike."

Surface properties tell geologists about the physical nature of a planet or moon's surface. Is a particular area coated with dust, and if so, how thick is it likely to be? Where are the outcrops of bedrock? How loose are the sediments that fill this crater or that valley? A map of surface properties lets scientists begin to answer questions such as these.

Darker means cooler and dustier

The new map uses nighttime temperature images to derive the "thermal inertia" for areas of Mars, each the size of a football field. Thermal inertia is a calculated value that represents how fast a surface heats up and cools off. As day and night alternate on Mars, loose, fine-grain materials such as sand and dust change temperature quickly and thus



have low values of thermal inertia. Bedrock represents the other end of the thermal inertia range: because it cools off slowly at night and warms up slowly by day, it has a high thermal inertia.

"Darker areas in the map are cooler at night, have a lower thermal inertia and likely contain fine particles, such as dust, silt or fine sand," Ferguson says. The brighter regions are warmer, she explains, and have surfaces with higher thermal inertia. These consist perhaps of coarser sand, surface crusts, rock fragments, bedrock or combinations of these materials.

The designer and principal investigator for the THEMIS camera is Philip Christensen, Regents' Professor of Geological Sciences in the School of Earth and Space Exploration, part of the College of Liberal Arts and Sciences on the Tempe campus. (Four years ago, Christensen and ASU researchers used daytime THEMIS images to create <u>a global Mars map</u> depicting the planet's landforms, such as craters, volcanoes, outflow channels, landslides, lava flows and other features.)

"A tremendous amount of effort has gone into this great global product, which will serve engineers, scientists and the public for many years to come," Christensen says. "This map provides data not previously available, and it will enable regional and global studies of surface properties. I'm eager to use it to discover new insights into the recent <u>surface</u> history of Mars."

As Fergason notes, the map has an important practical side. "NASA used THEMIS images to find safe landing sites for the Mars Exploration Rovers in 2004, and for Curiosity, the Mars Science Laboratory rover, in 2012," she says. "THEMIS images are now helping NASA select a landing site for its next Mars rover in 2020."



Provided by Arizona State University

Citation: ASU, USGS project yields sharpest map of Mars' surface properties (2014, July 15) retrieved 2 May 2024 from <u>https://phys.org/news/2014-07-asu-usgs-yields-sharpest-mars.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.