

Magnetically controlled nanoparticles enhance stroke treatment

July 17 2014



Yiping Zhao is a professor of physics in UGA's Franklin College of Arts and Sciences.

(Phys.org) —Researchers at the University of Georgia and their collaborators have developed a new technique to enhance stroke treatment that uses magnetically controlled nanomotors to rapidly transport a clot-busting drug to potentially life-threatening blockages in blood vessels.



The only <u>drug</u> currently approved for the treatment of acute stroke—recombinant <u>tissue plasminogen activator</u>, or t-PA—is administered intravenously to patients after the first symptoms of <u>ischemic stroke</u> appear. The protein in the drug dissolves blood clots that cause strokes and other cardiovascular problems, like pulmonary embolisms and heart attacks.

"Our technology uses magnetic nanorods that, when injected into the bloodstream and activated with rotating magnets, act like stirring bars to drive t-PA to the site of the clot," said Yiping Zhao, co-author of a paper describing the results in ACS Nano and professor of physics in UGA's Franklin College of Arts and Sciences. "Our preliminary results show that the breakdown of clots can be enhanced up to twofold compared to treatment with t-PA alone."

By collaborating with their medical partners, the researchers tested their approach in mice that mimic <u>blood clots</u> in humans. Once a clot was formed, they injected a mixture of t-PA and a small number of magnetic nanorods only 300 nanometers in diameter. By way of comparison, a single human hair is about 80,000 to 100,000 nanometers wide.

Upon entering the bloodstream, the nanorods are activated by two revolving magnets, which make the specially designed particles rotate not unlike a series of small fans, pushing the drug to the site of the clot.

Stroke is the second leading cause of death worldwide, according to the World Health Organization, while the Centers for Disease Control and Prevention estimates that one American dies from stroke every four minutes.

"We're dealing with a huge population of patients who desperately need new treatments," said Leidong Mao, paper co-author and associate professor in UGA's College of Engineering.



One of the most significant risks of t-PA treatment is uncontrolled bleeding. While the drug may successfully dissolve dangerous clots, it also temporarily prevents the formation of clots throughout the body, making patients vulnerable to hemorrhage.

"We want to improve the efficiency of this drug, because too much of it can lead to serious bleeding problems," said Rui Cheng, paper co-author and graduate student in UGA's College of Engineering. "This approach may one day allow physicians to use less of the drug, but with equal or improved effectiveness."

The research team plans to continue its investigation using nanorods made of new materials that are more compatible with the human body, but they caution that these results are preliminary, and more research must be done to perfect the technique.

"We also want to develop a chemistry model to illustrate the relationship between clot dissolving speed and other experimental parameters," said Weijie Huang, <u>graduate student</u> in physics at UGA.

"With further development, we think this could be an important step to better treatment of clots in small <u>blood vessels</u>," Zhao said. "Our team is already working on new approaches to take this proven concept further."

Other authors on the paper include Lijie Huang and Kunlin Jin, University of North Texas Health Science Center; Bo Yang, University of Texas; and Qichuan ZhuGe, Wenzhou Medical University.

For a full version of the paper in ACS Nano, see <u>pubs.acs.org/doi/full/10.1021/nn5029955</u>.

More information: "Acceleration of Tissue Plasminogen Activator-Mediated Thrombolysis by Magnetically Powered Nanomotors." Rui



Cheng, Weijie Huang, Lijie Huang, Bo Yang, Leidong Mao, Kunlin Jin, Qichuan ZhuGe, and Yiping Zhao. *ACS Nano* Article ASAP. <u>DOI:</u> 10.1021/nn5029955

Provided by University of Georgia

Citation: Magnetically controlled nanoparticles enhance stroke treatment (2014, July 17) retrieved 3 May 2024 from https://phys.org/news/2014-07-magnetically-nanoparticles-treatment.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.