

Material generates steam under solar illumination

July 21 2014, by Jennifer Chu



On the left, a representative structure for localization of heat; the cross section of structure and temperature distribution. On the right, a picture of enhanced steam generation by the DLS structure under solar illumination.

A new material structure developed at MIT generates steam by soaking up the sun.

The structure—a layer of graphite flakes and an underlying carbon foam—is a porous, insulating material structure that floats on water.



When sunlight hits the structure's surface, it creates a hotspot in the graphite, drawing water up through the material's pores, where it evaporates as steam. The brighter the light, the more steam is generated.

The new material is able to convert 85 percent of incoming solar energy into steam—a significant improvement over recent approaches to solarpowered steam generation. What's more, the setup loses very little heat in the process, and can produce steam at relatively low <u>solar intensity</u>. This would mean that, if scaled up, the setup would likely not require complex, costly systems to highly concentrate sunlight.

Hadi Ghasemi, a postdoc in MIT's Department of Mechanical Engineering, says the spongelike structure can be made from relatively inexpensive materials—a particular advantage for a variety of compact, steam-powered applications.

"Steam is important for desalination, hygiene systems, and sterilization," says Ghasemi, who led the development of the structure. "Especially in remote areas where the sun is the only source of energy, if you can generate steam with solar energy, it would be very useful."

Ghasemi and <u>mechanical engineering</u> department head Gang Chen, along with five others at MIT, report on the details of the new steamgenerating structure in the journal *Nature Communications*.

Cutting the optical concentration

Today, solar-powered steam generation involves vast fields of mirrors or lenses that concentrate incoming sunlight, heating large volumes of liquid to high enough temperatures to produce steam. However, these complex systems can experience significant heat loss, leading to inefficient steam generation.



Recently, scientists have explored ways to improve the efficiency of solar-thermal harvesting by developing new solar receivers and by working with nanofluids. The latter approach involves mixing water with nanoparticles that heat up quickly when exposed to sunlight, vaporizing the surrounding water molecules as steam. But initiating this reaction requires very intense solar energy—about 1,000 times that of an average sunny day.

By contrast, the MIT approach generates steam at a solar intensity about 10 times that of a sunny day—the lowest optical concentration reported thus far. The implication, the researchers say, is that steam-generating applications can function with lower sunlight concentration and less-expensive tracking systems.

"This is a huge advantage in cost-reduction," Ghasemi says. "That's exciting for us because we've come up with a new approach to solar steam generation."

From sun to steam

The approach itself is relatively simple: Since steam is generated at the surface of a liquid, Ghasemi looked for a material that could both efficiently absorb sunlight and generate steam at a liquid's surface.

After trials with multiple materials, he settled on a thin, double-layered, disc-shaped structure. Its top layer is made from graphite that the researchers exfoliated by placing the material in a microwave. The effect, Chen says, is "just like popcorn": The graphite bubbles up, forming a nest of flakes. The result is a highly porous material that can better absorb and retain solar energy.

The structure's bottom layer is a carbon foam that contains pockets of air to keep the foam afloat and act as an insulator, preventing heat from



escaping to the underlying liquid. The foam also contains very small pores that allow water to creep up through the structure via capillary action.

As <u>sunlight</u> hits the structure, it creates a hotspot in the graphite layer, generating a pressure gradient that draws water up through the carbon foam. As water seeps into the graphite layer, the heat concentrated in the graphite turns the water into steam. The structure works much like a sponge that, when placed in water on a hot, sunny day, can continuously absorb and evaporate liquid.

The researchers tested the structure by placing it in a chamber of <u>water</u> and exposing it to a solar simulator—a light source that simulates various intensities of solar radiation. They found they were able to convert 85 percent of <u>solar energy</u> into <u>steam</u> at a solar intensity 10 times that of a typical sunny day.

Ghasemi says the <u>structure</u> may be designed to be even more efficient, depending on the type of materials used.

"There can be different combinations of materials that can be used in these two layers that can lead to higher efficiencies at lower concentrations," Ghasemi says. "There is still a lot of research that can be done on implementing this in larger systems."

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Material generates steam under solar illumination (2014, July 21) retrieved 3 May 2024 from <u>https://phys.org/news/2014-07-material-steam-solar-illumination.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.