



NASA spacecraft observes further evidence of dry ice gullies on Mars

July 11 2014, by Guy Webster



This pair of images covers one of the hundreds of sites on Mars where researchers have repeatedly used the High Resolution Imaging Science Experiment (HiRISE) camera on NASA's Mars Reconnaissance Orbiter to study changes in gullies on slopes. Credit: NASA/JPL-Caltech/Univ. of Arizona

Repeated high-resolution observations made by NASA's Mars Reconnaissance Orbiter (MRO) indicate the gullies on Mars' surface are primarily formed by the seasonal freezing of carbon dioxide, not liquid water.

The first reports of formative gullies on Mars in 2000 generated excitement and headlines because they suggested the presence of [liquid water](#) on the Red Planet, the eroding action of which forms gullies here on Earth. Mars has water vapor and plenty of frozen water, but the presence of liquid water on the neighboring planet, a necessity for all known life, has not been confirmed. This latest report about gullies has been posted online by the journal Icarus.

"As recently as five years ago, I thought the gullies on Mars indicated activity of liquid water," said lead author Colin Dundas of the U.S. Geological Survey's Astrogeology Science Center in Flagstaff, Arizona. "We were able to get many more observations, and as we started to see more activity and pin down the timing of gully formation and change, we saw that the activity occurs in winter."

Dundas and collaborators used the High Resolution Imaging Science Experiment (HiRISE) camera on MRO to examine gullies at 356 sites on Mars, beginning in 2006. Thirty-eight of the sites showed active gully formation, such as new channel segments and increased deposits at the downhill end of some gullies.

Using dated before-and-after images, researchers determined the timing of this activity coincided with seasonal [carbon-dioxide](#) frost and temperatures that would not have allowed for liquid water.

Frozen carbon dioxide, commonly called dry ice, does not exist naturally on Earth, but is plentiful on Mars. It has been linked to active processes on Mars such as carbon dioxide gas geysers and lines on sand dunes

plowed by blocks of dry ice. One mechanism by which carbon-dioxide frost might drive gully flows is by gas that is sublimating from the frost providing lubrication for dry material to flow. Another may be slides due to the accumulating weight of seasonal frost buildup on steep slopes.

The findings in this latest report suggest all of the fresh-appearing gullies seen on Mars can be attributed to processes currently underway, whereas earlier hypotheses suggested they formed thousands to millions of years ago when climate conditions were possibly conducive to liquid water on Mars.

Dundas's co-authors on the new report are Serina Diniega of NASA's Jet Propulsion Laboratory in Pasadena, California, and Alfred McEwen of the University of Arizona, Tucson.

"Much of the information we have about gully formation, and other active processes, comes from the longevity of MRO and other orbiters," said Diniega. "This allows us to make repeated observations of sites to examine surface changes over time."

Although the findings about gullies point to processes that do not involve liquid water, possible action by liquid water on Mars has been reported in the past year in other findings from the HiRISE team. Those observations were of a smaller type of surface-flow feature.

An upcoming special issue of *Icarus* will include multiple reports about active processes on Mars, including smaller flows that are strong indications of the presence of liquid water on Mars today.

"I like that Mars can still surprise us," Dundas said. "Martian gullies are fascinating features that allow us to investigate a process we just don't see on Earth."

Provided by JPL/NASA

Citation: NASA spacecraft observes further evidence of dry ice gullies on Mars (2014, July 11)
retrieved 19 April 2024 from

<https://phys.org/news/2014-07-nasa-spacecraft-evidence-ice-gullies.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--