


# Speeding up data storage by a thousand times with 'spin current'

July 10 2014



A simplified representation of the new technology is shown. Two magnetic layers, each with a different magnetization, are separated by a neutral layer. A laser pulse strikes electrons in the upper layer. This causes them to move through the material, in the direction of the second layer. The spin of these electrons, in the direction of the magnetization of the upper layer, exerts a force on the spin of the electrons in the lower layer to make them rotate in the same direction.

This makes the magnetization in the second layer change. Credit: Eindhoven University of Technology


The storage capacity of hard drives is increasing explosively, but the speed with which all that data can be written has reached its limits. Researchers at Eindhoven University of Technology and the FOM Foundation present a promising new technology which potentially allows data to be stored 1,000 times as fast in *Nature Communications* on July 10. The technology, in which ultra-short laser pulses generate a 'spin current,' also opens the way to future optical computer chips.

A hard drive stores bits in the form of tiny [magnetic](#) domains. The directions of the magnetic north and south poles of these domains, which are referred to as the magnetization, determine whether they are a 0 or a 1. Data is stored by changing the direction of the magnetization of the associated bits. At present this is done using a write head to create a local magnetic field, which makes a bit change direction.

## Limit reached

The stronger the local [magnetic field](#), the faster the switch takes place. But this is subject to a limit which has now almost been reached. "The number of bits has been growing rapidly for many years, but the write speed has hardly increased. There's a need for a new [data storage technology](#)", says TU/e researcher Sjors Schellekens. He is the lead author of a publication in *Nature Communications*, in which together with colleagues he presents a new technology.

## Magnetic stream



An artist's impression of a laser pulse changing a magnetic bit. Credit: Eindhoven University of Technology

The physicists, led by TU/e professor prof.dr. Bert Koopmans, use a special property of electrons, the spin – a kind of internal compass in the electron. Using ultra-fast laser pulses they generate a flow of electrons in a material which all have the same spin. The resulting '[spin current](#)' changes the magnetic properties of the material (see the figure for an explanation of the technology).

## A thousand times faster

"The change in the magnetization is of the order of 100 femtoseconds, which is a factor 1,000 faster than what is possible with today's

technology", says Schellekens. As well as that, the researchers were able to describe the physical processes that are involved in detail. "There was discussion among physicists about whether the generated spin current is actually able to cause the change in magnetization. We now definitely show that this is really the case", says Schellekens.

## Optical computer chips

In addition, the method is a step towards future optical computer chips, which TU/e is now working on. In December the university received a Dutch grant of almost 20 million euros to integrate photonics in computer systems. "Our technology allows optical data to be stored in the form of magnetic bits. That offers unprecedented opportunities if you want to use light as information carrier", says Schellekens.

**More information:** 'Ultrafast spin-transfer torque driven by femtosecond-pulsed laser excitation' by A.J. Schellekens, K.C. Kuiper, R.R.J.C. de Wit and B. Koopmans (all of Eindhoven University of Technology) is published online in *Nature Communications* [DOI: 10.1038/ncomms5333](https://doi.org/10.1038/ncomms5333)

Provided by Eindhoven University of Technology

Citation: Speeding up data storage by a thousand times with 'spin current' (2014, July 10)  
retrieved 1 May 2024 from <https://phys.org/news/2014-07-storage-thousand-current.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.