


Two-dimensional sheets of electronic materials show promise for practical nanoelectronics

July 2 2014



Credit: AI-generated image ([disclaimer](#))

Two-dimensional sheets of electronic materials, such as graphene, show promise for practical nanoelectronics applications, including transparent electronic circuits used in electronic displays. Molybdenum disulfide (MoS_2) is of particular interest because, unlike metallic graphene, it is

semiconducting, like silicon—the semiconductor that underpins today's computer technology.

Now, Yongqing Cai from the A*STAR Institute of High Performance Computing in Singapore, with colleagues from China and the United States, has calculated that, by adding hydrogen to a MoS₂ surface, regions of the surface can be converted into metallic 'roads'. These roads can transport electrical charges between different areas of a MoS₂ nanosheet, enabling the fabrication of integrated [electronic circuits](#).

Computer chips require both [semiconductors](#) and metals. Semiconductors (typically silicon) are the basis for [electronic components](#) such as transistors, whereas metals (generally copper or gold) are used for wires that transport electrical charges around a chip. One advantage of using two-dimensional sheets such as MoS₂ is that semiconductors and metals can be integrated on the same sheet, facilitating the development of nanoscale computer chips.

For this to become a reality, the semiconducting properties of a MoS₂ sheet need to be modified to enable some areas of the sheet to become metallic and hence electrically conducting. Cai dubs these regions 'nanoroads'. "The design of conductive nanoroads on two-dimensional nanosheets—in a way that doesn't compromise their structural integrity—is critical for transporting electrical charges and to create reliable, highly conducting channels for nanoelectronics applications," explains Cai.

MoS₂ has to be modified before it can conduct electricity, since it requires additional atoms to be able to transport electrical charges. The researchers simulated the effects of adding hydrogen atoms to the surface of a MoS₂ sheet and found that MoS₂ will become metallic in areas where hydrogen atoms bond to its surface. They showed that adding lines or chains of [hydrogen atoms](#) to the surface created metallic

strips. The researchers' calculations reveal that these strips, or nanoroads, are reliable electrical conductors, and, importantly, they do not damage the structure of the underlying sheets.

In terms of practical implementation, the technology already exists for depositing hydrogen on semiconductor nanosheets: hydrogen has been deposited on other two-dimensional sheets, including graphene. Before MoS₂ sheets can be used to produce components such as transistors, a method for producing electron-deficient regions needs to be developed. Once this practical challenge has been addressed, the way will be open to successfully using MoS₂ in integrated electronic applications.

More information: Cai, Y., Bai, Z., Pan, H., Feng, Y. P., Yakobson, B. I. & Zhang, Y.-W. "Constructing metallic nanoroads on a MoS₂ monolayer via hydrogenation." *Nanoscale* 6, 1691–1697 (2014).

[dx.doi.org/10.1039/c3nr05218d](https://doi.org/10.1039/c3nr05218d)

Provided by Agency for Science, Technology and Research (A*STAR), Singapore

Citation: Two-dimensional sheets of electronic materials show promise for practical nanoelectronics (2014, July 2) retrieved 9 April 2024 from <https://phys.org/news/2014-07-two-dimensional-sheets-electronic-materials-nanoelectronics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
