


# Nanoscale production line for the assembly of biological molecules

August 28 2014



On the nano assembly line, tiny biological tubes called microtubules serve as transporters for the assembly of several molecular objects. Credit: Samuel Hertig

Cars, planes and many electronic products are now built with the help of sophisticated assembly lines. Mobile assembly carriers, on to which the objects are fixed, are an important part of these assembly lines. In the case of a car body, the assembly components are attached in various work stages arranged in a precise spatial and chronological sequence, resulting in a complete vehicle at the end of the line.

The creation of such an <u>assembly line</u> at molecular level has been a longheld dream of many nanoscientists. "It would enable us to assemble new




complex substances or materials for specific applications," says Professor Viola Vogel, head of the Laboratory of Applied Mechanobiology at ETH Zurich. Vogel has been working on this ambitious project together with her team and has recently made a breakthrough. In a paper published in the latest issue of the Royal Society of Chemistry's *Lab on a Chip* journal, the ETH researchers presented a molecular assembly line featuring all the elements of a conventional production line: a mobile assembly carrier, an assembly object, assembly components attached at various assembly stations and a motor (including fuel) for the assembly carrier to transport the object from one assembly station to the next.

### Production line three times thinner than a hair

At the nano level, the assembly line takes the form of a microfluid platform into which an aqueous solution is pumped. This platform is essentially a canal system with the main canal just 30 micrometres wide – three times thinner than a human hair. Several inflows and outflows lead to and from the canal at right angles. The platform was developed by Vogel's PhD student Dirk Steuerwald and the prototype was created in the clean room at the IBM Research Zurich in Rüschlikon.

The canal system is fitted with a carpet made of the motor protein kinesin. This protein has two mobile heads that are moved by the energy-rich molecule ATP, which supplies the cells of humans and other life forms with energy and therefore make it the fuel of choice in this artificial system.





The assembly carrier moves through several reaction chambres where different molecules bind to its surface. The graph below shows the trajectory of a single shuttle. Credit: from Steuerwald et al. 2014

#### Assembling molecules step-by-step

The ETH researchers used microtubules as assembly carriers. Microtubules are string-like protein polymers that together with kinesin transport cargo around the cells. With its mobile heads, kinesin binds to the microtubules and propels them forward along the surface of the device. This propulsion is further supported by the current generated by the fluid being pumped into the canal system. Five inflows and outflows direct the current in the main canal and divide it into strictly separated segments: a loading area, from where the assembly carriers depart, two assembly stations and two end stations, where the cargo is delivered.

The researchers can add the objects to the system through the lines that supply the assembly segments. In their most recent work, they tested the system using NeutrAvidin, the first molecule that binds to the nanoshuttle. A second component – a single, short strand of genetic material (DNA) – then binds to the NeutrAvidin, creating a small



molecular complex.

## Technical applications are still a long way off

Although Vogel's team has achieved a long-held dream with this work, the ETH professor remains cautious: "The system is still in its infancy. We're still far away from a technical application." Vogel believes they have shown merely that the principle works.

She points out that although the construction of such a molecular nanoshuttle system may look easy, a great deal of creative effort and knowledge from different disciplines goes into every single component of the system. The creation of a functional unit from individual components remains a big challenge. "We have put a lot of thought into how to design the mechanical properties of bonds to bind the cargo to the shuttles and then unload it again in the right place."

The use of biological motors for technical applications is not easy. Molecular engines such as kinesin have to be removed from their biological context and integrated into an artificial entity without any loss of their functionality. The researchers also had to consider how to build the assembly carriers and what the 'tracks' and assembly stations would look like. "These are all separate problems that we have now managed to combine into a functioning whole," says Vogel.

## Sophisticated products from the nano assembly line

The researchers envision numerous applications, including the selective modification of organic molecules such as protein and DNA, the assembly of nanotechnological components or small organic polymers, or the chemical alteration of carbon nanotubes. "We need to continue to optimise the system and learn more about how we can design the



individual components of this nanoshuttle system to make these applications possible in the future," says the ETH professor. The conditions for further research in this field are excellent: her group is now part of the new NCCR in Basel – Molecular Systems Engineering: Engineering functional molecular modules to factories.

**More information:** Steuerwald D, Früh SM, Griss R, Lovchik RD, Vogel V. Nanoshuttles propelled by motor proteins sequentially assemble molecular cargo in a microfluidic device. *Lab on a chip*, Royal Society of Chemistry 2014, published online 25 June, DOI: 10.1039/C4LC00385C

#### Provided by ETH Zurich

Citation: Nanoscale production line for the assembly of biological molecules (2014, August 28) retrieved 13 March 2024 from <a href="https://phys.org/news/2014-08-nanoscale-production-line-biological-molecules.html">https://phys.org/news/2014-08-nanoscale-production-line-biological-molecules.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.