


# Rosetta measures comet's temperature

August 1 2014



The first temperature measurements of comet 67P/Churyumov–Gerasimenko were made between 13 and 21 July, when Rosetta closed in from 14 000 km to the comet to just over 5000 km. The observations were made by the spacecraft’s visible, infrared and thermal imaging spectrometer, VIRTIS, and revealed an average surface temperature of  $-70^{\circ}\text{C}$ . This implies the surface is predominantly covered in dust rather than ice, which would yield a lower temperature. The finding does not exclude localised patches of ice. The observations were made when the comet was roughly 555 million kilometres from the Sun. Credit: ESA

(Phys.org) —ESA's Rosetta spacecraft has made its first temperature measurements of its target comet, finding that it is too hot to be covered

in ice and must instead have a dark, dusty crust.

The observations of comet 67P/Churyumov–Gerasimenko were made by Rosetta's visible, infrared and thermal imaging spectrometer, VIRTIS, between 13 and 21 July, when Rosetta closed in from 14 000 km to the comet to just over 5000 km.

At these distances, the comet covered only a few pixels in the field of view and so it was not possible to determine the temperatures of individual features. But, using the sensor to collect infrared light emitted by the whole comet, scientists determined that its average surface temperature is about  $-70^{\circ}\text{C}$ .

The comet was roughly 555 million kilometres from the Sun at the time – more than three times further away than Earth, meaning that sunlight is only about a tenth as bright.

Although  $-70^{\circ}\text{C}$  may seem rather cold, importantly, it is some  $20\text{--}30^{\circ}\text{C}$  warmer than predicted for a comet at that distance covered exclusively in ice.

"This result is very interesting, since it gives us the first clues on the composition and [physical properties](#) of the comet's surface," says VIRTIS principal investigator Fabrizio Capaccioni from INAF-IAPS, Rome, Italy.

Indeed, other comets such as 1P/Halley are known to have very dark surfaces owing to a covering of dust, and Rosetta's comet was already known to have a low reflectance from ground-based observations, excluding an entirely 'clean' icy surface.

The temperature measurements provide direct confirmation that much of the surface must be dusty, because darker material heats up and emits

heat more readily than ice when it is exposed to sunlight.

"This doesn't exclude the presence of patches of relatively clean ice, however, and very soon, VIRTIS will be able to start generating maps showing the temperature of individual features," adds Dr Capaccioni.

In addition to global measurements, the sensor will study the variation of the daily surface temperature of specific areas of the comet, in order to understand how quickly the surface reacts to solar illumination.

In turn, this will provide insight into the thermal conductivity, density and porosity of the top tens of centimetres of the surface. This information will be important in selecting a target site for Rosetta's lander, Philae.

It will also measure the changes in temperature as the comet flies closer to the Sun along its orbit, providing substantially more heating of the surface.

"Combined with observations from the other 10 science experiments on Rosetta and those on the lander, VIRTIS will provide a thorough description of the [surface](#) physical properties and the gases in the comet's coma, watching as conditions change on a daily basis and as the comet loops around the Sun over the course of the next year," says Matt Taylor, ESA's Rosetta project scientist.

"With only a few days until we arrive at just 100 km distance from the comet, we are excited to start analysing this fascinating little world in more and more detail."

Rosetta is an ESA mission with contributions from its member states and NASA. Rosetta's Philae lander is provided by a consortium led by DLR, MPS, CNES and ASI. Rosetta will be the first mission in history to

rendezvous with a comet, escort it as it orbits the Sun, and deploy a lander.

Comets are time capsules containing primitive material left over from the epoch when the Sun and its planets formed. By studying the gas, dust and structure of the nucleus and organic materials associated with the [comet](#), via both remote and in-situ observations, the Rosetta mission should become the key to unlocking the history and evolution of our Solar System, as well as answering questions regarding the origin of Earth's water and perhaps even life.

Provided by European Space Agency

Citation: Rosetta measures comet's temperature (2014, August 1) retrieved 17 July 2024 from <https://phys.org/news/2014-08-rosetta-comet-temperature.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.