

Sheepdogs use just two simple rules to round up large herds of sheep

August 26 2014



Credit: Copyright A.J.Morton

Sheepdogs use just two simple rules to round up large herds of sheep, scientists have discovered. The findings could lead to the development of robots that can gather and herd livestock, crowd control techniques, or new methods to clean up the environment.

For the first time scientists used GPS technology to understand how sheepdogs do their jobs so well. Until now, they had no idea how the [dogs](#) manage to get so many unwilling [sheep](#) to move in the same direction.

NERC fellow, Dr Andrew King of Swansea University, fitted a flock of sheep and a sheepdog with backpacks containing extremely accurate

GPS devices designed by colleagues at the Royal Veterinary College, London.

Daniel Strömbom of Uppsala University and colleagues then used data from these devices, together with computer simulations, to develop a mathematical shepherding model.

The team found that sheepdogs likely use just two simple rules: to collect the sheep when they're dispersed and drive them forward when they're aggregated. In the model, a single shepherd could herd a flock of more than 100 individuals using these two simple rules.


The research is published in the *Journal of the Royal Society Interface*.

'If you watch sheepdogs rounding up sheep, the dog weaves back and forth behind the flock in exactly the way that we see in the model,' says King.

'We had to think about what the dog could see to develop our model. It basically sees white, fluffy things in front of it. If the dog sees gaps between the sheep, or the gaps are getting bigger, the dog needs to bring them together,' he explains.

'At every time step in the model, the dog decides if the herd is cohesive enough or not. If not cohesive, it will make it cohesive, but if it's already cohesive the dog will push the herd towards the target,' says Strömbom.

How the model works



Credit: Natural Environment Research Council

'Other models don't appear to be able to [herd](#) really big groups – as soon as the number of individuals gets above 50 you start needing multiple shepherds or sheepdogs,' he says.

'There are numerous applications for this knowledge, such as crowd control, cleaning up the environment, herding of livestock, keeping animals away from sensitive areas, and collecting or guiding groups of exploring robots,' says King.

More information: Daniel Strömbom, Richard P. Mann, Alan M. Wilson, Stephen Hailes, A. Jennifer Morton, David J. T. Sumpter and Andrew J. King, Solving the herding problem: heuristics for herding autonomous, interacting agents, *Journal of the Royal Society Interface*,

published 27th August 2014, [dx.doi.org/10.1098/rsif.2014.0719](https://doi.org/10.1098/rsif.2014.0719)

Provided by Natural Environment Research Council

Citation: Sheepdogs use just two simple rules to round up large herds of sheep (2014, August 26)
retrieved 3 May 2024 from

<https://phys.org/news/2014-08-sheepdogs-simple-large-herds-sheep.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--