


X-ray laser probes tiny quantum tornadoes in superfluid droplets

August 21 2014



A patterned 3-D grid of tiny whirlpools, called quantum vortices, populate a nanoscale droplet of superfluid helium. Researchers found that in a micron-sized droplet, the density of vortices was 100,000 times greater than in any previous experiment on superfluids. An artistic rendering of a wheel-shaped droplet can be seen in the distance. Credit: SLAC National Accelerator Laboratory

An experiment at the Department of Energy's SLAC National Accelerator Laboratory revealed a well-organized 3-D grid of quantum "tornadoes" inside microscopic droplets of supercooled liquid helium – the first time this formation has been seen at such a tiny scale.

The findings by an international research team provide new insight on the strange nanoscale traits of a so-called "superfluid" state of [liquid helium](#). When chilled to extremes, liquid helium behaves according to the rules of quantum mechanics that apply to matter at the smallest scales and defy the laws of classical physics. This superfluid state is one of just a few examples of quantum behavior on a large scale that makes the behavior easier to see and study.

The results, detailed in the Aug. 22 issue of *Science*, could help shed light on similar quantum states, such as those in superconducting materials that conduct electricity with 100 percent efficiency or the strange collectives of particles, dubbed Bose-Einstein condensates, which act as a single unit.

"What we found in this experiment was really surprising. We did not expect the beauty and clarity of the results," said Christoph Bostedt, a co-leader of the experiment and a senior scientist at SLAC's Linac Coherent Light Source (LCLS), the DOE Office of Science User Facility where the experiment was conducted.


"We were able to see a manifestation of the quantum world on a macroscopic scale," said Ken Ferguson, a PhD student from Stanford University working at LCLS.

While tiny tornadoes had been seen before in chilled helium, they hadn't been seen in such tiny [droplets](#), where they were packed 100,000 times more densely than in any previous experiment on superfluids, Ferguson said.

Studying the Quantum Traits of a Superfluid

Helium can be cooled to the point where it becomes a frictionless substance that remains liquid well below the freezing point of most

fluids. The light, weakly attracting atoms have an endless wobble – a quantum state of perpetual motion that prevents them from freezing. The unique properties of [superfluid helium](#), which have been the subject of several Nobel prizes, allow it to coat and climb the sides of a container, and to seep through molecule-wide holes that would have held in the same liquid at higher temperatures.




This instrument, called CAMP, was used for the helium nanodroplets experiment at the Linac Coherent Light Source's Atomic, Molecular and Optical Science experimental station. Credit: SLAC National Accelerator Laboratory

In the LCLS experiment, researchers jetted a thin stream of helium droplets, like a nanoscale string of pearls, into a vacuum. Each droplet acquired a spin as it flew out of the jet, rotating up to 2 million turns per second, and cooled to a temperature colder than outer space. The X-ray

laser took snapshots of individual droplets, revealing dozens of tiny twisters, called "quantum vortices," with swirling cores that are the width of an atom.

The fast rotation of the chilled helium nanodroplets caused a regularly spaced, dense 3-D pattern of vortices to form. This exotic formation, which resembles the ordered structure of a solid crystal and provides proof of the droplets' [quantum state](#), is far different than the lone whirlpool that would form in a regular liquid, such as briskly stirred cup of coffee.



This is an illustration of analysis of superfluid helium nanodroplets. Droplets are emitted via a cooled nozzle (upper right) and probed with x-ray from the free-electron laser. The multicolored pattern (upper left) represents a diffraction pattern that reveals the shape of a droplet and the presence of quantum vortices such as those represented in the turquoise circle with swirls (bottom center).

Credit: Felix P. Sturm and Daniel S. Slaughter, Berkeley Lab.

More Surprises in Store

Researchers also discovered surprising shapes in some superfluid droplets. In a normal liquid, droplets can form peanut shapes when rotated swiftly, but the superfluid droplets took a very different form. About 1 percent of them formed unexpected wheel-like shapes and reached rotation speeds never before observed for their classical counterparts.

Oliver Gessner, a senior scientist at Lawrence Berkeley Laboratory and a co-leader in the experiment, said, "Now that we have shown that we can detect and characterize quantum rotation in helium nanodroplets, it will be important to understand its origin and, ultimately, to try to control it."

Andrey Vilesov of the University of Southern California, the third experiment co-leader, added, "The experiment has exceeded our best expectations. Attaining proof of the vortices, their configurations in the droplets and the shapes of the rotating droplets was only possible with LCLS imaging."

He said further analysis of the LCLS data should yield more detailed information on the shape and arrangement of the vortices: "There will definitely be more surprises to come."

More information: "Shapes and vorticities of superfluid helium nanodroplets" *Science*, www.sciencemag.org/lookup/doi/10.1126/science.1252395

Provided by SLAC National Accelerator Laboratory

Citation: X-ray laser probes tiny quantum tornadoes in superfluid droplets (2014, August 21)

retrieved 19 April 2024 from

<https://phys.org/news/2014-08-x-ray-laser-probes-tiny-quantum.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.