

Most birds can't taste sugar – here's why the hummingbird can

September 10 2014, by Hannah Rowland

Chickens are not fussy eaters. Any object resembling food is worth an exploratory peck. But give a chicken the choice between sugary sweets and seeds, and they will pick the grains every time. This is odd. Many animals, including our own sugar-mad species, salivate for sugar because it is the flavour of foods rich in energy. New research suggests that many birds' lack of interest in sugar is down to genes inherited from their dinosaur ancestors.

Most vertebrates experience <u>sweet taste</u> because they possess a family of genes <u>called T1Rs</u>. The pairing of T1R1 and T1R3 detects amino acids and gives rise to the savoury "umami" taste, and the T1R2-T1R3 pair detects sugars and gives us our sweet tooth.

Maude Baldwin, a postgraduate student at Harvard University, searched the genomes of ten species of birds from chickens to flycatchers. She found that insectivorous and grain-eating birds possess the gene pair that detects the amino acids present in insects and seeds, but none had the T1R2 gene responsible for the ability to taste sugar. These modern birds evolved from carnivorous theropod dinosaurs whose diets were rich in proteins and amino acids, but lacked sugar. So Baldwin reasoned that without a need to detect sweetness, ancient birds lost their T1R2 gene.

Hummingbirds appear to have bucked the trend. Every day they consume more than their own body weight in nectar. They can taste the difference between water and a sugar solution within a quarter of a second. And they also like the flavour of non-sugary artificial sweeteners



like erythritol and sorbitol. How is this possible if they have no gene for sweet taste?

To answer this question, Baldwin cloned <u>taste receptors</u> from the sugar-insensitive chicken, from hummingbirds, and from the hummingbird's closest relative, the insect-eating chimney swift. Her results have been published in the journal <u>Science</u>. She discovered that while the t1r1 and t1r3 receptors in swifts and chickens only respond to amino acids, the same receptors in the hummingbird fire in response to sweet-tasting sugars, sugar alcohols and the artificial sweetener sucralose, but not to <u>amino acids</u>.

Baldwin found that mutations in the hummingbirds' T1R1 and T1R3 genes have switched them from savoury to sugar detectors. These mutations appear to be under positive selection, that is the proportion of protein-altering mutations is greater than we would expect by chance.

Hummingbirds have co-opted genes that originally allowed dinosaurs to savour the taste of flesh, and transformed them into the <u>sugar</u> detectors most modern birds live without.

Charles Darwin, scribbling in the rough notebooks to which he would later refer when writing the Origin of Species, pondered how animals in new environments learn which foods are worth eating and which should be avoided. He concluded that this problem drove the evolution of a sense of taste: "Real taste [in] the mouth, according to my theory must be acquired by certain foods being habitual – hence become hereditary."

Baldwin's results show that Darwin was spot-on. Perhaps ancestral hummingbirds that lacked the sweet receptor frequented flowers to catch insects. On occasion they accidentally consumed some nectar. Small mutations in T1R1 and T1R3 would have allowed them to <u>taste</u> this sugary liquid, giving them access to a vital source of energy. This could



have given nectar-sipping individuals the evolutionary upper hand compared to insect-eaters.

Future research may focus on other nectar-eating birds such as sunbirds and lorikeets, and frugivores like tanagers, and whether they have undergone the same mutations as hummingbirds, or if a different mechanism explains their penchant for sugary foods.

This story is published courtesy of <u>The Conversation</u> (under Creative Commons-Attribution/No derivatives).

Source: The Conversation

Citation: Most birds can't taste sugar – here's why the hummingbird can (2014, September 10) retrieved 20 March 2024 from https://phys.org/news/2014-09-birds-sugar-hummingbird.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.