

A single evolutionary road may lead to Rome

September 8 2014



Jason Gallant, MSU zoologist, shows that a single evolutionary road may lead to Rome. Credit: G.L. Kohuth

A well-known biologist once theorized that many roads led to Rome when it comes to two distantly related organisms evolving a similar trait. A new paper, published in *Nature Communications*, suggests that when it comes to evolving some traits – especially simple ones – there may be a shared gene, one road, that's the source.

Jason Gallant, MSU zoologist and the paper's first author, focused on

[butterflies](#) to illustrate his metaphorical roadmap on [evolutionary traits](#). Butterfly wings are important biological models. While some butterflies are poisonous and notify their predators via colorful wing markings, others are nontoxic but have evolved similar color patterns to avoid being eaten.

Many scientists, including the famed Ernst Mayr, favored the "many roads" theory. This was largely attributed to being unable to identify a shared gene for such traits. Gallant, Sean Mullen, co-author and Boston University biologist, and their collaborators, however, were able to pinpoint the single gene responsible for two different families of butterflies' flashy markings.

The North American and South American species last had a common ancestor more than 65 million years ago. So, rather than evolve these traits independently using two unique mechanisms, the genetic control of particular butterfly markings can be traced to a single gene present in their ancient ancestors, said Gallant, who also teamed with Arnaud Martin and Bob Reed from Cornell University, and Marcus Kronforst from the University of Chicago.

"This result represents the culmination of a decade's worth of effort, but we identified the mechanism for a single aspect of wing patterns in a lineage," Gallant said. "Is this the rule or the exception? For simple traits, it's beginning to look like it could be the rule. The jury is still out on complicated traits, but there may be fewer roads leading to Rome than we once thought."



Jason Gallant, MSU zoologist, studied butterflies to illustrate his metaphorical roadmap on evolutionary traits. Credit: G.L. Kohuth

The decade-long journey began as a butterfly mapping study and later involved the 30,000 genes that comprise white admiral butterflies and red-spotted purple butterflies in North America. They are the same species of butterflies, but to a common observer, they look completely unrelated.

In the southern United States, the red-spotted purples have dark-blue wings that mimic the poisonous pipevine swallowtail. The white admirals, with distinctive white bands on their wings, reside in northern climes where the swallowtail is not found. A hybrid of the two can be found in a region near Pennsylvania.

Out of the 30,000 genes, Gallant, Mullen and their team narrowed the candidates to three. In one of these [genes](#), WntA, they discovered the

presence of a retrotransposon, a DNA virus of sorts, which appears to cause the deviations in wing pattern.

"It's the same type of DNA 'virus' that causes random-colored kernels in Indian corn," Gallant said. "It was present in 100 percent of the red-spotted purples, 50 percent of the hybrids and zero percent of the white admirals; I've never seen such clean data like this – ever."

For comparison, a different species of South American butterflies, studied by researchers from Cornell and the University of Chicago, were folded into the experiment. This species is separated by a mountain range rather than a continent, but the genetic patterns were the same. The group with dark wing markings had a deletion in the WntA gene in the same spot that the retrotransposon occurred in the North American butterflies.

When asked to comment on the significance of the work, Mullen stated the main goal of evolutionary biology is to understand the origin and maintenance of biodiversity. Within this context, a major unanswered question is whether or not evolution is predictable, and, if so, over what evolutionary time scales?

"We addressed this question by identifying the specific genetic changes responsible for the repeated evolution of similar color pattern traits in two butterfly lineages that last shared a common ancestor some 65 million years ago," he said. "Surprisingly, we found that changes in the expression of the same gene during development were responsible in both cases. This result implies an unprecedented level of predictability in the evolutionary process over deep time."

Since this evolutionary trait was triggered, perhaps somewhat accidentally, it stirs questions as to what other changes are taking place before our eyes.

"Copying errors and genomic viruses directly lead to the wing patterns of these beautiful butterflies," Gallant said. "It's these accidents that allow the evolutionary process to move forward. When I look over a field of butterflies, it makes me wonder what types of 'mistakes' are happening right now that may lead to important evolutionary changes years from now? What evolutionary processes will we someday be able to predict?"

Provided by Boston University

Citation: A single evolutionary road may lead to Rome (2014, September 8) retrieved 4 April 2024 from <https://phys.org/news/2014-09-evolutionary-road-rome.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--