

## Three extinct squirrel-like species discovery supports earlier origin of mammals in late Triassic

September 10 2014



This is a reconstruction of the new mammal species, *Xianshou songae*. This mouse-sized animal was a tree dweller in the Jurassic forests and belonged to an extinct group of Mesozoic mammals called *Euharamiyida*. Credit: © Zhao Chuang

Paleontologists have described three new small squirrel-like species that place a poorly understood Mesozoic group of animals firmly in the mammal family tree. The study, led by scientists at the American



Museum of Natural History and the Chinese Academy of Sciences, supports the idea that mammals—an extremely diverse group that includes egg-laying monotremes such as the platypus, marsupials such as the opossum, and placentals like humans and whales—originated at least 208 million years ago in the late Triassic, much earlier than some previous research suggests. The study is published today in the journal *Nature*.

"For decades, scientists have been debating whether the extinct group, called *Haramiyida*, belongs within or outside of Mammalia," said coauthor Jin Meng, a curator in the Museum's Division of Paleontology. "Previously, everything we knew about these animals was based on fragmented jaws and isolated teeth. But the new specimens we discovered are extremely well preserved. And based on these fossils, we now have a good idea of what these animals really looked like, which confirms that they are, indeed, mammals."

The three new species—*Shenshou lui*, *Xianshou linglong*, and *Xianshou songae*—are described from six nearly complete 160-million-year-old fossils found in China. The animals, which researchers have placed in a new group, or clade, called *Euharamiyida*, likely looked similar to small squirrels. They weighed between 1 and 10 ounces and had tails and feet that indicate that they were tree dwellers.

"They were good climbers and probably spent more time than squirrels in trees," Meng said. "Their hands and feet were adapted for holding branches, but not good for running on the ground."

The members of *Euharamiyida* likely ate insects, nuts, and fruit with their "strange" teeth, which have many cusps, or raised points, on the crowns. Mammals are thought to evolve from a common ancestor that had three cusps; human molars can have up to five. But the newly discovered species had two parallel rows of cusps on each molar, with up



to seven cusps on each side. How this complex tooth pattern evolved in relation to those of other mammals has puzzled scientist for many decades.



This reconstruction shows arboreal mammals in a Jurassic forest. The three animals on the left side represent the three new species of euharamiyidan mammals. The other two represent a gliding species and another euharamiyidan, respectively, that were reported earlier. Credit: Zhao Chuang

Despite unusual tooth patterning, the overall morphology, or physical characteristics, seen in the new haramiyidan fossils is mammalian. For example, the specimens show evidence of a typical mammalian middle ear, the area just inside the eardrum that turns vibrations in the air into ripples in the ear's fluids. The middle ears of mammals are unique in that they have three bones, as evidenced in the new fossils.

However, the placement of the new species within Mammalia poses another issue: Based on the age of the *Euharamiyida* <u>species</u> and their



kin, the divergence of mammals from reptiles had to have happened much earlier than some research has estimated. Instead of originating in the middle Jurassic (between 176 and 161 million years ago), mammals likely first appeared in the late Triassic (between 235 and 201 million years ago). This finding corresponds with some studies that used DNA data.



The holotype specimen of *Senshou lui*, which represents a new species of euharamiyidan mammal. It is a nearly complete skeleton that indicates a gracile body with a tail and long fingers that were adapted for an arboreal life in Jurassic forests. Credit: ©AMNH/J. Meng

"What we're showing here is very convincing that these animals are



mammals, and that we need to turn back the clock for mammal divergence," Meng said. "But even more importantly, these new fossils present a new suite of characters that might help us tell many more stories about ancient <u>mammals</u>."

**More information:** Three new Jurassic euharamiyidan species reinforce early divergence of mammals, *Nature*, <u>dx.doi.org/10.1038/nature13718</u>

Provided by American Museum of Natural History

Citation: Three extinct squirrel-like species discovery supports earlier origin of mammals in late Triassic (2014, September 10) retrieved 2 May 2024 from <u>https://phys.org/news/2014-09-extinct-squirrel-like-species-discovery-earlier.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.