

Lava in Hawaii community slowing approaches homes (Update)

September 4 2014, by Jennifer Sinco Kelleher



In this Sept. 3, 2014 photo released by the U.S. Geological Survey, fluid lava streams from the June 27 lava flow from the Kilauea volcano in Pahoehoe, Hawaii. The June 27 lava flow is named for the date it began erupting from a new vent. The Hawaiian Volcano Observatory issued a warning Thursday, Sept. 4, 2014 to a rural community in the path of a lava flow on Hawaii's Big Island, as the molten rock moved to within a mile of homes. Observatory scientists said lava from the Kilauea volcano could reach the Kaohe Homesteads in five to seven days if it continues advancing through cracks in the earth. (AP Photo/U.S. Geological Survey)

Rural Hawaii residents still recovering from a tropical storm are keeping a nervous eye on a lava flow that may reach their community within a week.

Lava from Kilauea volcano is within less than a mile (nearly 2 kilometers) of Kaohe Homesteads, authorities said. Lava could reach the community in five to seven days if it continues on its current path, geologists with the Hawaiian Volcano Observatory said.

It wasn't immediately clear how many homes could be affected.

The isolated, agricultural region is part of the Big Island's Puna district, where Tropical Storm Iselle toppled trees and knocked out power just last month.

Observatory scientists said the lava has been advancing about 800 feet (244 meters) per day since July 10. They've been closely monitoring the flow and on Thursday raised the alert level from "watch" to "warning."

However, the observatory said predicting a flow's exact path can be difficult because of subtle variations in topography, changes in lava volume and where and how lava enters or exits ground cracks.

Hawaii County Civil Defense Administrator Darryl Oliveira said the agency has not yet ordered an evacuation but will do so when it's clear the lava is at least five days from impacting homes.

Mayor Billy Kenoi is declaring an emergency, which will allow authorities to restrict access to roadways so Kaohe Homesteads residents can leave safely if an evacuation becomes necessary.



In this Sept. 1, 2014 photo released by the U.S. Geological Survey, fluid lava streams from the June 27 lava flow from the Kilauea volcano in Pahoehoe, Hawaii. The June 27 lava flow is named for the date it began erupting from a new vent. The Hawaiian Volcano Observatory issued a warning Thursday, Sept. 4, 2014 to a rural community in the path of a lava flow on Hawaii's Big Island, as the molten rock moved to within a mile of homes. Observatory scientists said lava from the Kilauea volcano could reach the Kaohe Homesteads in five to seven days if it continues advancing through cracks in the earth. (AP Photo/U.S. Geological Survey)

The county is asking all of Puna to be on alert because it's possible the lava could change direction and threaten other communities, he said.

The Kilauea volcano has been continuously erupting since 1983, but new vents—or points where lava reaches the surface—have opened periodically. Lava from the volcano normally doesn't approach homes, but it did wipe out neighborhoods in 1990.



In this Sept. 1, 2014 photo released by the U.S. Geological Survey, fluid lava streams from the June 27 lava flow from the Kilauea volcano in Pahoehoe, Hawaii. The June 27 lava flow is named for the date it began erupting from a new vent. The Hawaiian Volcano Observatory issued a warning Thursday, Sept. 4, 2014 to a rural community in the path of a lava flow on Hawaii's Big Island, as the molten rock moved to within a mile of homes. Observatory scientists said lava from the Kilauea volcano could reach the Kaohe Homesteads in five to seven days if it continues advancing through cracks in the earth. (AP Photo/U.S. Geological Survey)



In this Aug. 29, 2014 photo released by the U.S. Geological Survey, fluid lava streams from the June 27 lava flow from the Kilauea volcano in Pahoia, Hawaii. The June 27 lava flow is named for the date it began erupting from a new vent. The Hawaiian Volcano Observatory issued a warning Thursday, Sept. 4, 2014 to a rural community in the path of a lava flow on Hawaii's Big Island, as the molten rock moved to within a mile of homes. Observatory scientists said lava from the Kilauea volcano could reach the Kaohe Homesteads in five to seven days if it continues advancing through cracks in the earth. (AP Photo/U.S. Geological Survey)

© 2014 The Associated Press. All rights reserved.

Citation: Lava in Hawaii community slowing approaches homes (Update) (2014, September 4) retrieved 25 April 2024 from <https://phys.org/news/2014-09-lava-residents-hawaii-big-island.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.