

# Research helps identify memory molecules

September 2 2014

---



Professor Götz from UQ's Queensland Brain Institute

A newly discovered method of identifying the creation of proteins in the body could lead to new insights into how learning and memories are impaired in Alzheimer's disease.

Scientists at The University of Queensland have developed processes that use the amino acids generated by new proteins to identify proteins as they are created.

By tagging newly synthesised proteins, the researchers will be able to determine whether they are created in response to internal stimuli such as regular cellular activity, or [external stimuli](#) such as learning activities.

Study leader Professor Jürgen Götz, Director of the Clem Jones Centre for Ageing Dementia Research at the Queensland Brain Institute, said the insights could be vital in the battle against ageing dementia.

"What we have developed can be applied to many cellular processes, including what happens in neurodegeneration and dementia," Professor Götz said.

"It is important to understand how learning and memory occurs, because with research like this we hope someday to be able to create treatments that halt or reverse degeneration and the ensuing functional impairment," he said.

While it is believed that proteins play a key role in learning and memory formation because their composition changes during these processes, their exact function and identity remains a mystery.

Professor Götz said previously it had been impossible to determine the age of proteins in the body.

"With this new [method](#) we are now able to determine which proteins are created in these processes," he said.

"A [protein](#) could have been newly created or 10 years old, and using conventional methods we were unable to determine its age.

"By creating a method of labelling new proteins as they are created in vivo – within the body – we are able to track those proteins, and this will give a valuable insight into understanding the role proteins play in [learning](#) and memory."

UQ collaborated with the University of Sydney and Macquarie University on the study.

The method is published in the *Nature Protocols* paper and was used in a paper published in *Cellular and Molecular Life Sciences*.

**More information:** "Bio-orthogonal labeling as a tool to visualize and identify newly synthesized proteins in *Caenorhabditis elegans*." Milena Ullrich, et al. *Nature Protocols* 9, 2237–2255 (2014) [DOI: 10.1038/nprot.2014.150](https://doi.org/10.1038/nprot.2014.150). Published online 28 August 2014

"Altered proteostasis in aging and heat shock response in *C. elegans* revealed by analysis of the global and de novo synthesized proteome." Vanessa Liang, Milena Ullrich, Hong Lam, Yee Lian Chew, Samuel Banister, Xiaomin Song, Thiri Zaw, Michael Kassiou, Jürgen Götz, Hannah R. Nicholas *Cellular and Molecular Life Sciences*. September 2014, Volume 71, Issue 17, pp 3339-3361, [DOI: 10.1007/s00018-014-1558-7](https://doi.org/10.1007/s00018-014-1558-7)

Provided by University of Queensland

Citation: Research helps identify memory molecules (2014, September 2) retrieved 28 April 2024 from <https://phys.org/news/2014-09-memory-molecules.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--