

# Researchers optimize growing conditions and practices to improve mussel farming

September 26 2014, by Cecile J. Gonzalez

---



Maine researchers found that polypropylene rope with high surface area is the most effective collector for settling mussel larvae. They are investigating how to optimize growing conditions and practices in the farming of blue mussels.

Credit: Brian Beal, University of Maine at Machias, Division of Environmental and Biological Sciences

Blue mussels, *Mytilus edulis*, live on northern Atlantic shores in the area

between high and low tides.

"Mussels are one of the most significant filter-feeders in the marine environment," said Brian Beal, a marine ecologist at the University of Maine at Machias. "They are responsible not only for efficiently producing high-quality protein but for cleaning the waters around them through their feeding activities."

Because many creatures—especially humans—enjoy eating blue [mussels](#), farmers grow mussels using aquaculture, or aquatic farming. More than 650,000 pounds of blue mussels were cultured and harvested in Maine in 2012, according to the state's Department of Marine Resources.

Young mussels may be cultivated in the wild, or they may grow on ropes that are submerged in culture tanks, where they are protected from storms and predators. Once the mussels reach a certain size, they are moved into ocean pens to mature.

But practitioners often struggle in their efforts to increase the number, size and overall health of their mussels. Like many farmers, they turn to science and engineering to improve their harvest.

Beal, along with a team of National Science Foundation (NSF)-funded researchers at the University of Maine at Machias and the Downeast Institute, is investigating the growing conditions and practices that will reliably yield healthy and plentiful blue mussels.



Once they are mature, wild blue mussels live in beds in the area between high and low tides. Researchers in Maine are investigating how to improve techniques for culturing mussels for food. Marine ecologist Brian Beal said, "At present, mussel farmers rely on wild settlement, which can be very spotty from year to year and from place to place." Credit: Andreas Trepte

"Our goal is to develop methods in the hatchery to create consistent quantities of seed-size mussel juveniles," Beal said. "At present, mussel farmers rely on wild settlement, which can be very spotty from year to year and from place to place." Maine's annual harvest of cultured blue mussels commonly varies by hundreds of thousands of pounds.

Young mussels go through several stages of development. After swimming for their first few weeks of life, mussel larvae adhere to an underwater surface such as a rope. They attach themselves using byssus threads, which are flexible strands of protein.

"A narrow range of seawater temperatures combined with relatively high

salinities results in healthy, active juveniles," Beal said, "and different phytoplankton diets fed to the swimming larvae affect their ability to settle effectively onto substrates such as rope."

Beal's team plans to use what they learn about blue mussel development to optimize how many and how well larvae secure themselves to rope used in aquaculture. They are now conducting field studies to examine the effects of stocking densities on mussel growth and survival.

The researchers also are investigating exactly when to transition the young mussels into ocean pens, and where in the pens they grow best.



Cultured blue mussels grow on a rope. Credit: Brian Beal, University of Maine at Machias, Division of Environmental & Biological Sciences

With better understanding of their cultivation, the researchers and their partner New DHC, an aquaculture company, hope to improve commercial prospects for sustainably grown [blue mussels](#).

"A consistent seed supply also will allow aquaculturists to create business plans that project their annual production more realistically," Beal explained.



The Downeast Institute is using pens made for salmon farming to raise blue mussels in their study of cultivation practices and conditions. Credit: Brian Beal, University of Maine at Machias, Division of Environmental & Biological Sciences

The collaboration is supported by the NSF Partnerships for Innovation

program, which stimulates regional innovation based on science and engineering discoveries.

In speaking of Beal, NSF program director Sally Nerlove said, "His life's work is of tremendous potential importance to the economy and the ethos of region, and, at the same time, his accomplishments track the evolution of the NSF Partnerships for Innovation program."

Provided by National Science Foundation

Citation: Researchers optimize growing conditions and practices to improve mussel farming (2014, September 26) retrieved 25 April 2024 from <https://phys.org/news/2014-09-optimize-conditions-mussel-farming.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.