

Pottery shards offer evidence of pulque production in prehispanic Mesoamerica

September 16 2014, by Bob Yirka



(A) Maguey plant (Agave salmiana), (B) maguey sap (aguamiel) pooled within a maguey in the process of sap extraction, and (C) man transferring pulque to a 2.5-L container for sale in Apan, Mexico. Credit: (c) *PNAS*, doi: 10.1073/pnas.1408339111

(Phys.org) —A team of researchers with members from Mexico, the U.S. and the U.K. has found evidence that suggests the people living in



ancient Teotihuacan made an alcoholic beverage named pulque as early as 200 to 550 A.D. In their paper published in *Proceedings of the National Academy of Sciences*, the team describes how they performed gas chromatography on multiple pottery shard samples from excavation sites and found evidence of bacterial byproducts known to be present in pulque.

While most people are familiar with the Maya or Inca civilizations that existed in Mexico and South America, many may not have heard of Teotihuacan, a city that existed in what is now central Mexico. At its zenith, it's been estimated the city was home to approximately 125,000 people—though who exactly those people were, is still up for debate. Also a mystery was how the population was maintained during times of drought, which were known to have occurred frequently in the area. The main staple, maize, would have been adversely impacted by low rainfall as would have other less sturdy crops. In this latest effort, the researchers suggest that in addition to providing people with a jolt of alcohol, pulque would have offered many essential nutrients as well.

Pulque is made from the agave plant—its thick leaves are reminiscent of the aloe and yucca plants. It's the same plant used for the production of tequila, though a different part is used. With pulque, the sap is fermented to create a milky white thick beverage. To learn more about whether the people in Teotihuacan made the beverage, the researchers examined over 300 pottery shards that had been excavated from various sites in the city and that had been previously dated to 200 to 550 A.D. In so doing they found evidence of byproducts of *Zymomonas mobilis*, a bacterium known to have been present in the fermentation process used by other people such as the Maya. The find marks the oldest known production of pulque in Mesoamerica. The researchers note that in addition to providing nutrients, drinking pulque also has a tendency to make people feel full, which would have been a blessing during lean times.



More information: Pulque production from fermented agave sap as a dietary supplement in Prehispanic Mesoamerica, Marisol Correa-Ascencio, *PNAS*, <u>DOI: 10.1073/pnas.1408339111</u>

Abstract

Although in modern societies fermented beverages are associated with socializing, celebration, and ritual, in ancient times they were also important sources of essential nutrients and potable water. In Mesoamerica, pulque, an alcoholic beverage produced from the fermented sap of several species of maguey plants (Agavaceae; Fig. 1) is hypothesized to have been used as a dietary supplement and riskbuffering food in ancient Teotihuacan (150 B.C. to A.D. 650). Although direct archaeological evidence of pulque production is lacking, organic residue analysis of pottery vessels offers a new avenue of investigation. However, the chemical components of alcoholic beverages are watersoluble, greatly limiting their survival over archaeological timescales compared with hydrophobic lipids widely preserved in food residues. Hence, we apply a novel lipid biomarker approach that considers detection of bacteriohopanoids derived from the ethanol-producing bacterium Zymomonas mobilis for identifying pulque production/consumption in pottery vessels. Gas chromatography-mass spectrometry selected ion monitoring $(m/z \ 191)$ of lipid extracts of >300 potsherds revealed characteristic bacteriohopanoid distributions in a subset of 14 potsherds. This hopanoid biomarker approach offers a new means of identifying commonly occurring bacterially fermented alcoholic beverages worldwide, including palm wine, beer, cider, perry, and other plant sap- or fruit-derived beverages [Swings J, De Ley J (1977) Bacteriol Rev 41(1):1–46].

© 2014 Phys.org

Citation: Pottery shards offer evidence of pulque production in prehispanic Mesoamerica (2014,



September 16) retrieved 21 May 2024 from <u>https://phys.org/news/2014-09-pottery-shards-evidence-pulque-production.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.