

Spacesuits of the future may resemble a streamlined second skin

September 18 2014, by Jennifer Chu



The MIT BioSuit, a skintight spacesuit that offers improved mobility and reduced mass compared to modern gas-pressurized spacesuits. Credit: Jose-Luis Olivares/MIT

For future astronauts, the process of suiting up may go something like this: Instead of climbing into a conventional, bulky, gas-pressurized suit, an astronaut may don a lightweight, stretchy garment, lined with tiny, musclelike coils. She would then plug in to a spacecraft's power supply, triggering the coils to contract and essentially shrink-wrap the garment



around her body.

The skintight, pressurized <u>suit</u> would not only support the astronaut, but would give her much more freedom to move during <u>planetary</u> <u>exploration</u>. To take the suit off, she would only have to apply modest force, returning the suit to its looser form.

Now MIT researchers are one step closer to engineering such an active, "second-skin" spacesuit: Dava Newman, a professor of aeronautics and astronautics and engineering systems at MIT, and her colleagues have engineered active compression garments that incorporate small, springlike <u>coils</u> that contract in response to heat. The coils are made from a shape-memory alloy (SMA)—a type of material that "remembers" an engineered shape and, when bent or deformed, can spring back to this shape when heated.

The team incorporated the coils in a tourniquet-like cuff, and applied a current to generate heat. At a certain trigger temperature, the coils contract to their "remembered" form, such as a fully coiled spring, tightening the cuff in the process. In subsequent tests, the group found that the pressure produced by the coils equaled that required to fully support an astronaut in space.

"With conventional spacesuits, you're essentially in a balloon of gas that's providing you with the necessary one-third of an atmosphere [of pressure,] to keep you alive in the vacuum of space," says Newman, who has worked for the past decade to design a form-fitting, flexible spacesuit of the future. "We want to achieve that same pressurization, but through mechanical counterpressure—applying the pressure directly to the skin, thus avoiding the gas pressure altogether. We combine passive elastics with active materials. ... Ultimately, the big advantage is mobility, and a very lightweight suit for planetary exploration."



The coil design was conceived by Bradley Holschuh, a postdoc in Newman's lab. Holschuh and Newman, along with graduate student Edward Obropta, detail the design in the journal IEEE/ASME: Transactions on Mechatronics.



An original active tourniquet design, combining shape memory alloy (SMA) actuators with 3-D printed structures (the cream-colored plastic) and passive fabric (the white strip). Credit: Jose-Luis Olivares/MIT

How to train a spacesuit

While skintight spacesuits have been proposed in the past, there's been one persistent design hurdle: how to squeeze in and out of a pressurized suit that's engineered to be extremely tight. That's where <u>shape-memory</u> <u>alloys</u> may provide a solution. Such materials only contract when heated, and can easily be stretched back to a looser shape when cool.



To find an active material that would be most suitable for use in space, Holschuh considered 14 types of shape-changing materials—ranging from dielectric elastomers to shape-memory polymers—before settling on nickel-titanium shape-memory alloys. When trained as tightly packed, small-diameter springs, this material contracts when heated to produce a significant amount of force, given its slight mass—ideal for use in a lightweight compression garment.

The material is commonly produced in reels of very thin, straight fiber. To transform the fiber into coils, Holschuh borrowed a technique from another MIT group that previously used coiled nickel-titanium to engineer a heat-activated robotic worm.

Shape-memory alloys like nickel-titanium can essentially be "trained" to return to an original shape in response to a certain temperature. To train the material, Holschuh first wound raw SMA fiber into extremely tight, millimeter-diameter coils then heated the coils to 450 degrees Celsius to set them into an original, or "trained" shape. At room temperature, the coils may be stretched or bent, much like a paper clip. However, at a certain "trigger" temperature (in this case, as low as 60 C), the fiber will begin to spring back to its trained, tightly coiled state.





Two shape memory alloy (SMA) coil actuators, shown in their stretched and contracted states. Credit: Jose-Luis Olivares/MIT

The researchers rigged an array of coils to an elastic cuff, attaching each coil to a small thread linked to the cuff. They then attached leads to the coils' opposite ends and applied a voltage, generating heat. Between 60 and 160 C, the coils contracted, pulling the attached threads, and tightening the cuff.

"These are basically self-closing buckles," Holschuh says. "Once you put the suit on, you can run a current through all these little features, and the suit will shrink-wrap you, and pull closed."

Keeping it tight

The group's next challenge is finding a way to keep the suit tight. To do



this, Holschuh says there are only two options: either maintaining a constant, toasty temperature, or incorporating a locking mechanism to keep the coils from loosening. The first option would overheat an astronaut and require heavy battery packs—a design that would significantly impede mobility, and is likely infeasible given the limited power resources available to astronauts in space. Holschuh and Newman are currently exploring the second option, looking into potential mechanisms to lock or clip the coils in place.

As for where the coils may be threaded within a spacesuit, Holschuh is contemplating several designs. For instance, an array of coils may be incorporated into the center of a suit, with each coil attached to a thread that radiates to the suit's extremities. As the coils activate, they could pull on the attached threads—much like the strings of a puppet—to tighten and pressurize the suit. Or, smaller arrays of coils could be placed in strategic locations within a spacesuit to produce localized tension and pressure, depending on where they are needed to maintain full body compression.





Several actuators aligned into a 3-D-printed cartridge structure, paired with passive fabric to form an active tourniquet, and mounted on a rigid object approximating a human limb. Credit: Jose-Luis Olivares/MIT

While the researchers are concentrating mostly on applications in space, Holschuh says the group's designs and active materials may be used for other purposes, such as in athletic wear or military uniforms.

"You could use this as a tourniquet system if someone is bleeding out on the battlefield," Holschuh says. "If your suit happens to have sensors, it could tourniquet you in the event of injury without you even having to think about it."

"An integrated suit is exciting to think about to enhance human performance," Newman adds. "We're trying to keep our astronauts alive, safe, and mobile, but these designs are not just for use in space."

More information: "Low Spring Index NiTi Coil Actuators for Use in Active Compression Garments." Holschuh, B Obropta, E. ; Newman, D. Mechatronics, *IEEE/ASME Trans*, Volume: PP Issue:99, <u>DOI:</u> 10.1109/TMECH.2014.2328519

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology



Citation: Spacesuits of the future may resemble a streamlined second skin (2014, September 18) retrieved 26 April 2024 from <u>https://phys.org/news/2014-09-spacesuits-future-resemble-skin.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.