

UCI team is first to capture motion of single molecule in real time

September 16 2014



Ara Apkarian professor of chemistry, and his colleague Eric Potma, associate professor of chemistry, opens a window into the strange realm of quantum mechanics – where nanoscopic bits of matter seemingly defy the logic of classical physics.

UC Irvine chemists have scored a scientific first: capturing moving images of a single molecule as it vibrates, or "breathes," and shifts from one quantum state to another.

The groundbreaking achievement, led by Ara Apkarian, professor of chemistry, and Eric Potma, associate professor of chemistry, opens a window into the strange realm of [quantum mechanics](#) – where nanoscopic bits of matter seemingly defy the logic of [classical physics](#).

This could lead to a wide variety of important applications, including lightning-fast quantum computers and uncrackable encryption of private messages. It also moves researchers a step closer to viewing the molecular world in action – being able to see the making and breaking of bonds, which controls biological processes such as enzymatic reactions and cellular dynamics.

The August issue of *Nature Photonics* features this breakthrough as its cover story.

"Our work is the first to capture the motion of one molecule in real time," Apkarian said. While still images of single [molecules](#) have been possible since the 1980s, recording a molecule's extremely rapid movements had proven elusive.

In addition to using precisely tuned, ultrafast lasers and microscopes, the researchers had to equip the molecule with a tiny antenna consisting of two gold nanospheres in order to track its activity and record measurements over the course of an hour.

When the many repeated measurements were averaged, an astonishing finding emerged: The molecule was oscillating from one [quantum state](#) to another.

The scientists have produced a movie in which a small, glowing dot appears to emit pulses of bright light. "That's the light broadcast from the antenna every time the molecule completes a cycle of its vibrational motion," Apkarian said. "The bond moves at a rate of 10¹³ cycles per

second – a million, million times 10 cycles in one second." Making the movie was like freeze-frame photography with a very fast flash and repeating the measurement over and over again.

Seeing a molecule as it moves is "essential to a deeper understanding of how it forms and breaks chemical bonds," Potma said. "The aim of the present experiment was to demonstrate that we can capture a molecule in motion on its own timescale."

The next and even more ambitious goal is to acquire moving images of molecules in their natural environment without tethering them to an antenna. "Ultimately, we'd like to be able to [examine] a molecule ... as it's undergoing chemistry," Apkarian said.

More information: Seeing a single molecule vibrate through time-resolved coherent anti-Stokes Raman scattering, *Nature Photonics*, 8, 650–656 (2014) [DOI: 10.1038/nphoton.2014.143](https://doi.org/10.1038/nphoton.2014.143)

Provided by University of California, Irvine

Citation: UCI team is first to capture motion of single molecule in real time (2014, September 16) retrieved 19 April 2024 from <https://phys.org/news/2014-09-uci-team-capture-motion-molecule.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.