

Eastern basin of the South Aral Sea completely dry for the first time in modern history

October 1 2014



Acquired August 19, 2014

Summer 2014 marked another milestone for the Aral Sea, the once-extensive lake in Central Asia that has been shrinking markedly since the 1960s. For the first time in modern history, the eastern basin of the South Aral Sea has completely dried.

This image pair from the Moderate Resolution Imaging Spectroradiometer (MODIS) on NASA's Terra satellite shows the [sea](#) without its eastern lobe on August 19, 2014 (top). Substantial changes are apparent when compared to an image from August 25, 2000 (bottom), and again when compared to the approximate location of the shoreline in 1960 (black outline).

"This is the first time the eastern basin has completely dried in modern times," said Philip Micklin, a geographer emeritus from Western Michigan University and an Aral Sea expert. "And it is likely the first time it has completely dried in 600 years, since Medieval desiccation associated with diversion of Amu Darya to the Caspian Sea."

In the 1950s and 1960s, the government of the former Soviet Union diverted the Amu Darya and the Syr Darya—the region's two major rivers—to irrigate farmland. The diversion began the lake's gradual retreat. By the start of the Terra series in 2000, the lake had already separated into the North (Small) Aral Sea in Kazakhstan and the South (Large) Aral Sea in Uzbekistan. The South Aral had further split into western and eastern lobes.

The eastern lobe of the South Aral nearly dried in 2009 and then saw a huge rebound in 2010. Water levels continued to fluctuate annually in alternately dry and wet years.

According to Micklin, the desiccation in 2014 occurred because there has been less rain and snow in the watershed that starts in the distant Pamir Mountains; this has greatly reduced water flow on the Amu

Darya. In addition, huge amounts of river water continue to be withdrawn for irrigation. The Kok-Aral Dam across the Berg Strait—a channel that connects the northern Aral Sea with the southern part—played some role, but has not been a major factor this year, he said.



Acquired August 25, 2000

"This part of the Aral Sea is showing major year-to-year variations that

are dependent on flow of Amu Darya," Micklin said. "I would expect this pattern to continue for some time."

More information: Micklin, P. (2010, September) "The past, present, and future Aral Sea." *Lakes & Reservoirs: Research & Management*, 15 (3), 193. Accessed September 25, 2014.

[dx.doi.org/10.1111/j.1440-1770.2010.00437.x](https://doi.org/10.1111/j.1440-1770.2010.00437.x)

Provided by NASA

Citation: Eastern basin of the South Aral Sea completely dry for the first time in modern history (2014, October 1) retrieved 9 May 2024 from <https://phys.org/news/2014-10-eastern-basin-south-aral-sea.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|