


Imaging electric charge propagating along microbial nanowires

October 19 2014



UMass Amherst researchers recently provided stronger evidence than ever before to support their claim that the microbe *Geobacter* produces tiny electrical wires, called microbial nanowires, along which electric charges propagate just as they do in carbon nanotubes, a highly conductive man-made material. Credit:



UMass Amherst

The claim by microbiologist Derek Lovley and colleagues at the University of Massachusetts Amherst that the microbe Geobacter produces tiny electrical wires, called microbial nanowires, has been mired in controversy for a decade, but the researchers say a new collaborative study provides stronger evidence than ever to support their claims.

UMass Amherst physicists working with Lovley and colleagues report in the current issue of *Nature Nanotechnology* that they've used a new imaging technique, electrostatic force microscopy (EFM), to resolve the biological debate with evidence from physics, showing that electric charges do indeed propagate along microbial <u>nanowires</u> just as they do in carbon nanotubes, a highly conductive man-made material.

Physicists Nikhil Malvankar and Sibel Ebru Yalcin, with physics professor Mark Tuominen, confirmed the discovery using EFM, a technique that can show how electrons move through materials. "When we injected electrons at one spot in the microbial nanowires, the whole filament lit up as the electrons propagated through the nanowire," says Malvankar.

Yalcin, now at Pacific Northwest National Lab, adds, "This is the same response that you would see in a <u>carbon nanotube</u> or other highly conductive synthetic nanofilaments. Even the charge densities are comparable. This is the first time that EFM has been applied to biological proteins. It offers many new opportunities in biology."

Lovley says the ability of electric current to flow through microbial nanowires has important environmental and practical implications.



"Microbial species electrically communicate through these wires, sharing energy in important processes such as the conversion of wastes to methane gas. The nanowires permit Geobacter to live on iron and other metals in the soil, significantly changing soil chemistry and playing an important role in environmental cleanup. Microbial nanowires are also key components in the ability of Geobacter to produce electricity, a novel capability that is being adapted to engineer microbial sensors and biological computing devices."

He acknowledges that there has been substantial skepticism that Geobacter's nanowires, which are protein filaments, could conduct electrons like a wire, a phenomenon known as metallic-like conductivity. "Skepticism is good in science, it makes you work harder to evaluate whether what you are proposing is correct," Lovley points out. "It's always easier to understand something if you can see it. Drs. Malvankar and Yalcin came up with a way to visualize charge propagation along the nanowires that is so elegant even a biologist like me can easily grasp the mechanism."

Biologists have known for years that in biological materials, electrons typically move by hopping along discrete biochemical stepping-stones that can hold the individual electrons. By contrast, electrons in microbial nanowires are delocalized, not associated with just one molecule. This is known as metallic-like conductivity because the electrons are conducted in a manner similar to a copper wire.

Malvankar, who provided the first evidence for the metallic-like conductivity of the microbial nanowires in Lovley and Tuominen's labs in 2011, says, "Metallic-like conductivity of the microbial nanowires seemed clear from how it changed with different temperature or pH, but there were still many doubters, especially among biologists."

To add more support to their hypothesis, Lovley's lab genetically altered



the structure of the nanowires, removing the aromatic amino acids that provide the delocalized <u>electrons</u> necessary for metallic-like conductivity, winning over more skeptics. But EFM provides the final, key evidence, Malvankar says.

"Our imaging shows that charges flow along the microbial nanowires even though they are proteins, still in their native state attached to the cells. Seeing is believing. To be able to visualize the charge propagation in the nanowires at a molecular level is very satisfying. I expect this technique to have an especially important future impact on the many areas where physics and biology intersect." he adds.

Tuominen says, "This discovery not only puts forward an important new principle in biology but also in materials science. Natural amino acids, when arranged correctly, can propagate charges similar to molecular conductors such as carbon nanotubes. It opens exciting opportunities for protein-based nanoelectronics that was not possible before."

Lovley and colleagues' microbial nanowires are a potential "green" electronics component, made from renewable, non-toxic materials. They also represent a new part in the growing field of synthetic biology, he says. "Now that we understand better how the nanowires work, and have demonstrated that they can be genetically manipulated, engineering 'electric microbes' for a diversity of applications seems possible."

One application currently being developed is making Geobacter into electronic sensors to detect environmental contaminants. Another is Geobacter-based microbiological computers. This work was supported by the Office of Naval Research, the U.S. Department of Energy and the National Science Foundation.

More information: *Nature Nanotechnology*. <u>DOI:</u> 10.1038/nnano.2014.236



Provided by University of Massachusetts Amherst

Citation: Imaging electric charge propagating along microbial nanowires (2014, October 19) retrieved 13 March 2024 from https://phys.org/news/2014-10-imaging-electric-propagating-microbial-nanowires.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.